

Construction Authorization

Vance County Health Dept
Environmental Health
115 Charles Rollins Road
Henderson, NC 27536
Phone: (252) 492-5263 Fax: (252) 492-2361

For Office Use Only

*CDP File Number: 327749 - 1

County ID Number: 0539 02006

Evaluated For: REPAIR

PERMIT VALID UNTIL: 07/30/2025

☐ Open Pump System Sheet

Applicant: Early Falsom Properties

Address: 128 S Chestnet St

City: Henderson

State/Zip: NC 27537

Phone #: cell :433-9222

Property Owner: Early Falsom Properties

Address: 128 S Chestnet St

City: Henderson

State/Zip: NC. 27537

Phone #: cell :433-9222

Property Location & Site InformationAddress/Road #: 700 Southerland Mill Rd
Henderson, NC 27537

Subdivision:

Phase: NEW Lot:

Directions:

Structure: SINGLE FAMILY

See attachment

of Bedrooms: 2

of People:

*Water Supply: EXISTING WELL

System Specifications

*Site Classification: Provisionally Suitable

Minimum Trench Depth: TBD Inches

Design Flow: 240

Maximum Trench Depth: TBD Inches

Soil Application Rate: 0.3000

Minimum Soil Cover: 6 Inches

*System Classification/Description:

TYPE III G. OTHER NON-CONV. TRENCH SYSTEMS

Maximum Soil Cover: Inches

*Proposed System:

25% REDUCTION

*Distribution Type: GRAVITY - PARALLEL (eq. d-box)

Nitrification Field: 600 Sq. ft.

Septic Tank: 1,000 Gallons

No. Drain Lines: 2

Pump Required: ☐ Yes ☒ No ☐ May Be Required

Total Trench Length: 200 ft.

☐ Inches O.C.

Pump Tank: Gallons

Trench Spacing: 9 -

☒ Feet O.C.

Grease Trap: Gallons

Trench Width: 3 -

☐ Inches

Aggregate Depth: inches

☒ Feet

Septic Tank Installer

Grade Level Required: ☐ I ☒ II ☐ III ☐ IV

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

***Permit Conditions:**

ADHERE TO ALL SETBACKS.

CONTRACTOR MAY START TRENCH DEEPER TO ALL FOR FALL AND BETTER GRADE FOR TWO 100FT LINES.

The Authorization for Wastewater System Construction shall be valid for a period equal to the period of validity of the Improvement Permit and may be issued at the same time the Improvement Permit issued (NCGS 130A-336(b)). If the installation has not been completed during the period of validity of the Construction Permit, the information submitted in the application for a permit or Construction Authorization shall become invalid, and may be suspended or revoked (.1937(g)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting

Authorized State Agent: Adcock, Jordan

Date of Issue: 07/30/2020

☒ Hand Drawing☐ Import Drawing****Site Plan/Drawing attached.****

Total Time : (HH:MM)