

PERMIT NUMBER **3645**

GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT IMPROVEMENT AND OPERATION PERMITS

COUNTY:	TAX NO.	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.
Vance	SR. NO.	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS:	NUMBER OF OCCUPANTS:	
OWNER: Den Mark Constr.			3	≤ 6	
APPLICANT: Mark Dowdy	WATER SUPPLY				
APPLICANT'S ADDRESS:		PUBLIC ☐	WELL ☒	OTHER ☐	*THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED.
PROPERTY ADDRESS/LOCATION:	TYPE OF WASTEWATER SYSTEM				
126 Wheat Rd.	DESCRIPTION	E2 Flow INITIAL INSTALLATION 25% Reduction		REPAIR Shallow Conventional	
SUBDIVISION: Farmington	DESIGN FLOW:	360 g/day			
LOT NUMBER: 34	LTAR:	.3			
REFERENCE SKETCH (SEE PLAT FOR DETAILS) 1. flg Not to Scale	ABSORPTION AREA:	900 1,800 ft ²			
	TRENCH WIDTH:	3'			
	TRENCH SPACING:	9'			
	TOTAL TRENCH LENGTH:	400' 300'			
	NUMBER OF TRENCHES:	43			
	GRAVEL DEPTH:	12" NA			
	TANK SIZE:	1,000 g			*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
	CONDITIONS:	24" Maximum Trench Depth			
FOR: Den Mark Constr. ISSUED BY: Mac Shingleton, RS DATE: 7-7-03					
OPERATION PERMIT SYSTEM INSTALLED BY: James Bailey ISSUED BY: Mac Shingleton, RS DATE: 11-24-03					

* System installed 11-6-03. mps