

COUNTY: Vance	TAX NO. 0535401010	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.		
OWNER: Denmark Constr.	SR. NO.	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: 3	NUMBER OF OCCUPANTS: ±6			
APPLICANT'S ADDRESS:		WATER SUPPLY	WELL ☒ PUBLIC ☐	OTHER ☐			
		TYPE OF WASTEWATER SYSTEM	Pump to 25% INITIAL INSTALLATION Reduction Type III	REPAIR Pump to 25% Reduction	*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.		
PROPERTY ADDRESS/LOCATION: 92 Farmington Ln.		DESIGN FLOW:	360 g/day				
SUBDIVISION: Farmington		LTAR:	.3				
LOT NUMBER: 10		ABSORPTION AREA:	900 ft²				
		TRENCH WIDTH:	3'				
REFERENCE SKETCH (SEE PLAT FOR DETAILS) 		TRENCH DEPTH:	22"		PERMIT VALID FOR: 5 YEARS ☒ YES ☐ NO		
		TRENCH SPACING:	9' centers				
		TOTAL TRENCH LENGTH:	300'				
				NUMBER OF TRENCHES:	3		NO EXPIRATION YES ☐ NO ☒
				GRAVEL DEPTH:	NA PSA or Chambers		
				TANK SIZE:	1,000 g		
				PUMP TANK SIZE:	NA 1,000g		
		DISTRIBUTION DEVICE:	Pressure Manifold				

***** IMPROVEMENT PERMIT DATE: 11-17-05 *****

FOR: **Denmark Construction**
 ISSUED BY: **Mac Shingleton, P.E.** **11-17-05**

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# **05591**
 Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.
 (The wastewater system cannot be installed until authorization is signed)

Comments: _____

Date: **11-17-05** Environmental Health Specialist: **Mac Shingleton, P.E.**
 Construction Authorization Addendum ☐ Yes ☒ No

***** OPERATION PERMIT DATE: **1-4-07** *****

SYSTEM INSTALLED BY: **James Bailey**
 ISSUED BY: **Walter L. Daugherty, P.E.**

PERFORMANCE, MONITORING, MAINTENANCE AND OPERATION
 AS REQUIRED BY RULE 1961

Tanks + Lines Checked 5-14-04. mds