

2:30

PERMIT NUMBER 220

**GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS**

COUNTY:	TAX NO.	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
VANCE	0365E01077	RESIDENCE ☒	NUMBER OF BEDROOMS:	NUMBER OF OCCUPANTS:	
OWNER: CREATIVE	SER NO.	BUSINESS ☐	4	≤ 8	
		OTHER ☐			
APPLICANT: SAME		WATER SUPPLY			
APPLICANT'S ADDRESS: P.O. Box 1958		PUBLIC ☐	WELL ☒	OTHER ☐	
PROPERTY ADDRESS/LOCATION:		TYPE OF WASTEWATER SYSTEM			
THOMAS RD. 79 Redwing Lane		DESCRIPTION	INITIAL INSTALLATION	REPAIR	
SUBDIVISION: KEY ESIMES		DESIGN FLOW:	480 ^{gal} / _{day}		
LOT NUMBER: 77		LTAR:	0.3		
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		ABSORPTION AREA:	1600 ft ²		
		TRENCH WIDTH:	3'		
		TRENCH SPACING:	9' ON CENTERS		
		TOTAL TRENCH LENGTH:	534'		
		NUMBER OF TRENCHES:	5-8		
		GRAVEL DEPTH:	12"		
		TANK SIZE:	1000 GAL		
		CONDITIONS:	24" TRENCH DEPTH		
IMPROVEMENT PERMIT				DATE:	
FOR: CREATIVE				12-29-99	
ISSUED BY: Paul E. Hawn					
OPERATION PERMIT				DATE:	
SYSTEM INSTALLED BY: Wayne Ayseu				3-14-21	
ISSUED BY: L.V. Vaughn					