

GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
 IMPROVEMENT AND OPERATION PERMITS

COUNTY: <u>Vance</u>	TAX NO. <u>0205 01028</u>	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
SER. NO. <u>1326</u>		RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: <u>4</u>	NUMBER OF OCCUPANTS: <u>5</u>	
OWNER: <u>James F. Crayton</u>		WATER SUPPLY			
APPLICANT: <u>T. Garris + Assoc.</u>		PUBLIC ☐	WELL ☒	OTHER ☐	
APPLICANT'S ADDRESS: <u>Hwy 100 N. 27736 P.O. Box 551</u>		TYPE OF WASTEWATER SYSTEM			
PROPERTY ADDRESS/LOCATION: <u>Kelly Road</u> <u>652 Willow Creek Lane</u>		DESCRIPTION	INITIAL ☒ INSTALLATION	REPAIR	
SUBDIVISION: <u>Willow Creek Run</u>		DESIGN FLOW:	<u>480 gal/day</u>		
LOT NUMBER: <u>20</u>		LTAR:	<u>.4</u>		
REFERENCE SKETCH (SEE PLAT FOR DETAILS) <u>See sketch attached. Dig trenches 18"-24" deep (level) on contour. Stay at least 5' from house, 10' from property line, & 100' from any well. Drain field must be within 50' of back property line.</u>		ABSORPTION AREA:	<u>1200 sq. ft.</u>		
		TRENCH WIDTH:	<u>3'</u>		
		TRENCH SPACING:	<u>9' on center</u>		
		TOTAL TRENCH LENGTH:	<u>400 ft.</u>		
		NUMBER OF TRENCHES:	<u>2 or 3</u>		
		GRAVEL DEPTH:	<u>12"</u>		
		septic TANK SIZE:	<u>1000 gal.</u>		
		pressure tank	<u>1000 gal.</u>		
		CONDITIONS:	<u>Pressure manifold</u>		
IMPROVEMENT PERMIT		DATE:			
FOR: <u>James F. Crayton</u>		<u>10-11-96</u>			
ISSUED BY: <u>M.E. Zount</u>					
OPERATION PERMIT		DATE:			
SYSTEM INSTALLED BY: <u>Sam Hobgood</u>		<u>9-1-99</u>			
ISSUED BY: <u>W. Vaughn</u>					

265.75'

(21)

2.05 AC

Scale 1" = 60'

266.33'

S 73°41'23"E

253.03'

WILLOW CREEK LANE

S 73°41'23"E

E

S 49°40'47"E

389.78'

S 05°28'

S

(repair)
varine

201.39'

S 73°41'23"E

253.03'

(37)

287.03'

N 12°10'10"W

well

prive

House

20

1.85 AC

PT ST

old path

140'