

CLIENT INFORMATION

Client: Nathan Frund
Requested On: Jul 5, 2022
Phone: (919) 282-2711
Email: nathan.frund@gmail.com

hello@gosimplelab.com

EPA LAB ID: OH00923
3310 Win St
Cuyahoga Falls, OH 44223

TESTING PERFORMED

Testing Requested: Petroleum Products Water Test
Matrix: Drinking Water
Testing / Report ID: 87WGI5

SAMPLE INFORMATION

Collection Date: Jul 13, 2022
Collected By: Nathan Frund
Received Date: Jul 15, 2022
Reported On: Jul 21, 2022
Sample Location: Kitchen Sink
Sample Address: 3257 Tump Wilkins Road, Stem, NC
27581, United States

TESTING NOTES

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact hello@gosimplelab.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	METHOD	EVALUATION
Benzene	µg/L	NOT DETECTED	0.25	EPA 8260	
Ethylbenzene	µg/L	NOT DETECTED	0.48	EPA 8260	
Toluene	µg/L	NOT DETECTED	0.28	EPA 8260	
Xylenes (Total)	µg/L	NOT DETECTED	0.97	EPA 8260	

How To Read Your SimpleLab PDF Report

Your results are being evaluated with the Health Guidance Level.

This is a health protective, non-enforceable drinking water benchmark. HGL is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the HGL over the course of your lifetime is thought to be safe.

MDL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team is configured to measure.

How To Read Your SimpleLab PDF Report

Your results are being evaluated with the Simple Lab Recommendation.

This is a health protective, non-enforceable drinking water benchmark. SLR is based on the most protective human health benchmark used among public health agencies for a contaminant. Drinking water at or near the SLR over the course of your lifetime is thought to be safe.

MOL: Method Detection Limit. MDL is the lowest concentration of an analyte which testing instrumentation and the analysis team configured to measure.



Did you know?

This Tap Score report is easier to understand when viewed online.
Access in-depth information about every detection, including health risks and treatment solutions.

gosimplelab.com/signin