

GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
 IMPROVEMENT AND OPERATION PERMITS

COUNTY: <i>Granville</i>	TAX NO. <i>101 000 922 347</i>	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
	SR NO. <i>1445</i>	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: <i>3</i>	NUMBER OF OCCUPANTS: <i>3</i>	
OWNER: <i>Bobby Young</i>					
APPLICANT: <i>2639 Little Mt. Creek Rd. Shane + Linda Parham Bullock</i>		WATER SUPPLY			
APPLICANT'S ADDRESS: <i>2639 Little Mt. Creek Rd</i>		PUBLIC ☐	WELL ☒	OTHER ☐	
PROPERTY ADDRESS/LOCATION: <i>Herbert Faucette Rd. 3195/3185</i>		TYPE OF WASTEWATER SYSTEM			
		DESCRIPTION	INITIAL INSTALLATION ☒	REPAIR	
SUBDIVISION:	DESIGN FLOW:	<i>360 gal./day</i>			
LOT NUMBER:	LTAR:	<i>.4</i>			
REFERENCE SKETCH (SEE PLAT FOR DETAILS) <i>See sketch attached. Dig trenches 18"-24" deep (level) on contour. Stay at least 5' from house, 10' from property line, + 100' from any well. Use upper side of site for initial installation + save lower side for repair.</i>	ABSORPTION AREA:	<i>900 sq. ft.</i>			
	TRENCH WIDTH:	<i>3'</i>			
	TRENCH SPACING:	<i>9' on center</i>			
	TOTAL TRENCH LENGTH:	<i>300 ft</i>			
	NUMBER OF TRENCHES:	<i>2 or 3</i>			
	GRAVEL DEPTH:	<i>12"</i>			
	TANK SIZE:	<i>900 gal.</i>			
CONDITIONS:					
IMPROVEMENT PERMIT		DATE:			
FOR:	<i>Shane + Linda Parham</i>			<i>10-1-96</i>	
ISSUED BY:	<i>M.E. Young</i>				
OPERATION PERMIT		DATE:			
SYSTEM INSTALLED BY:	<i>Marshall Parham</i>			<i>11-18-96</i>	
ISSUED BY:	<i>M.E. Young</i>				

Hold for Release

Hold for Zoning Permit