

PERMIT NUMBER 8211

GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT IMPROVEMENT AND OPERATION PERMITS

ZP 18681

COUNTY:	TAX NO.	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.
Groville	183700125918	RESIDENCE ☒	NUMBER OF BEDROOMS:	NUMBER OF OCCUPANTS:	
OWNER:	SR. NO.	BUSINESS ☐	3	max 6	
Tom Alls		OTHER ☐	WATER SUPPLY	WELL ☒	OTHER ☐
APPLICANT'S ADDRESS:		Private	PUBLIC ☐		
3143 Old Highway 75		TYPE OF WASTEWATER SYSTEM	INITIAL INSTALLATION	REPAIR	
Stem, NC			IIIg	IIIg	
PROPERTY ADDRESS/LOCATION:		DESIGN FLOW:	360		*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
3723 Summer Springs		LTAR:	.25		
SUBDIVISION:		ABSORPTION AREA:	1440 F ²		
Summer Springs		TRENCH WIDTH:	36		
LOT NUMBER:		TRENCH DEPTH:	18"		
98		TRENCH SPACING:	9' on center		PERMIT VALID FOR: 5 YEARS YES ☒ NO ☐
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		TOTAL TRENCH LENGTH:	360'		
contact Env. Health for a layout / pre-construction meeting once lot is cleared.		NUMBER OF TRENCHES:	4		NO EXPIRATION YES ☐ NO ☒
maintain all setbacks		GRAVEL DEPTH:	accepted		
careful clearing lot.		TANK SIZE:	1000		
		PUMP TANK SIZE:	10		
		DISTRIBUTION DEVICE:	Distribution Box		

IMPROVEMENT PERMIT DATE: 5-22-15

FOR: Tom Alls
ISSUED BY: [Signature]

ISSUED BY: Cassandra Champion R015

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# 8211

Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.
(The wastewater system cannot be installed until authorization is signed)

Comments: Pre-Construction meeting / hyper modeling

Date: 5-27-15 Environmental Health Specialist: Carol A. Chapman Construction Authorization Addendum ☐ Yes ☐ No

OPERATION PERMIT

DATE:

SYSTEM INSTALLED BY:

ISSUED BY:

PERFORMANCE, MONITORING, MAINTENANCE AND OPERATION
AS REQUIRED BY RULE .1961

Final Sketch

10/11/17
Date

Date _____