

PERMIT NUMBER 3030

**GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS**

COUNTY: <i>Granville</i>	TAX NO. <i>18 05 33 92</i>	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.
SR NO. <i>1715</i>	RESIDENCE ☒ BUSINESS ☒ OTHER ☐	NUMBER OF BEDROOMS: <i>4</i>	NUMBER OF OCCUPANTS: <i>3</i>		
OWNER: <i>Dale Rich</i>					
APPLICANT: <i>Dale Rich</i>		WATER SUPPLY			
APPLICANT'S ADDRESS: <i>7916 RIVERDALE AVE / DAYTON, OHIO 45424</i>		PUBLIC ☐	WELL ☒	OTHER ☐	*THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED.
PROPERTY ADDRESS/LOCATION: <i>1 mi ON LEFT OFF Hwy 96 Across THANKFUL CO LINE</i>		TYPE OF WASTEWATER SYSTEM			
		DESCRIPTION	INITIAL INSTALLATION	REPAIR	
SUBDIVISION: <i>896</i>	DESIGN FLOW:	<i>480 gpd</i>	<i>12-3-07</i>		
LOT NUMBER: <i>Lot</i>	LTAR:	<i>35912</i>	<i>3952</i>		
REFERENCE SKETCH (SEE PLAT FOR DETAILS) <i>Layout with septic system 12-3-07 400 ft x 40 ft 2-Flow Solid line area</i>	ABSORPTION AREA:	<i>1200</i> <i>+13711</i>			
	TRENCH WIDTH:	<i>3'</i>			
	TRENCH SPACING:	<i>9'</i>		<i>12-3-07</i>	
	TOTAL TRENCH LENGTH:	<i>460'</i>	<i>400'</i> <i>580' alternate system</i>		
	NUMBER OF TRENCHES:	<i>3</i>			
	GRAVEL DEPTH:	<i>12"</i>			
	TANK SIZE:	<i>1000 gnl</i>			
CONDITIONS:		<i>locate in area I marked</i>			
IMPROVEMENT PERMIT				DATE:	*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL
FOR: <i>Dale Rich</i>				<i>1-4-06</i>	
ISSUED BY: <i>James B. Dayton</i>					
OPERATION PERMIT				DATE:	
SYSTEM INSTALLED BY: <i>5 County Construction</i>				<i>12-20-07</i>	
ISSUED BY: <i>David Cumbee</i>					

Casing depth 60'
Reg # 2722 20gpm
Depth 205'
12-17-04



± 5'

House

Deck

9.5'

130' 1"

138' 1"

140' 1"