



North Carolina State Laboratory of Public Health
Environmental Sciences
Inorganic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report to: JIMMY CLAYTON

Name of System:

GRANVILLE CO ENVIRONMENTAL HEALTH
PO BOX 367
OXFORD, NC 27565

Summer Construction
3607 River Watch Lane
Franklinton, NC 27525

EIN: 561060453EH

Delivery: NC Courier

StarLiMS ID: ES220111-0027

Date Collected: 01/10/2022

Time Collected: 11:00

By: Jimmy B. Clayton

Date Received: 01/11/2022

Time Received: 07:26

Sample Type: Raw

Sampling Point: Well

Well Permit No. 248336

Sample Source: New Well

Receipt Temp.: 1.1 °C

GPS Number:

Profile: New Well I

Analyte	Test Result	Allowable Limit	Unit	Qualifier(s)
Arsenic	<0.001	0.010	mg/L	
Barium	<0.1	2.0	mg/L	
Cadmium	<0.0001	0.005	mg/L	
Calcium	70		mg/L	
Chloride	<5	250	mg/L	
Chromium	0.009	0.10	mg/L	
Copper	0.01	1.3	mg/L	
Fluoride	0.763	4.00	mg/L	
Iron	0.17	0.30	mg/L	
Lead	<0.003	0.015	mg/L	
Magnesium	6		mg/L	
Manganese	0.03	0.05	mg/L	
Mercury	<0.0004	0.002	mg/L	
Nickel	<0.01	0.1	mg/L	
Nitrate	<1	10.0	mg/L	
Nitrite	<0.1	1.00	mg/L	
pH	7.4		N/A	
Selenium	<0.005	0.05	mg/L	
Silver	<0.01	0.10	mg/L	
Sodium	24.6		mg/L	
Sulfate	165.4	250	mg/L	
Total Alkalinity	80		mg/L	
Total Hardness	201		mg/L	
Zinc	<0.05	5.0	mg/L	



North Carolina State Laboratory of Public Health
Environmental Sciences
Inorganic Chemistry

4312 District Drive
MSC 1918
Raleigh, NC 27699-1918
<http://slph.ncpublichealth.com>
Phone: 919-733-7308
Fax: 919-715-8611

Certificate of Analysis

FINAL REPORT

Report Date: 02/11/2022

Reported By:

A handwritten signature in black ink, appearing to read "Marc Komlos", on a light gray background.

Marc Komlos