

PUMP SYSTEM

PERMIT NUMBER 06550

GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT IMPROVEMENT AND OPERATION PERMITS

COUNTY:	TAX NO. <u>6470A01004</u>	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.
<u>Vance</u>	SR. NO.	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: <u>3</u>	NUMBER OF OCCUPANTS: <u>6</u>	
OWNER: <u>John Foster Homes</u>		WATER SUPPLY	WELL ☒ PUBLIC ☐	OTHER ☐	
APPLICANT'S ADDRESS: <u>PO BOX 1308 Henderson 37536</u>		TYPE OF WASTEWATER SYSTEM	INITIAL INSTALLATION <u>Typella-Conv.</u>	REPAIR <u>SAME</u>	
PROPERTY ADDRESS/LOCATION: <u>135 Chaucer Way South</u>		DESIGN FLOW:	<u>360 gpd</u>		*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
SUBDIVISION: <u>Canterbury Forest</u>		LTAR:	<u>.3</u>		
LOT NUMBER: <u>37</u> <u>1.74</u>		ABSORPTION AREA:	<u>1200 ft²</u>		
		TRENCH WIDTH:	<u>36"</u>		
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		TRENCH DEPTH:	<u>18"</u>		PERMIT VALID FOR: 5 YEARS ☒ YES ☐ NO
		TRENCH SPACING:	<u>9' centers</u>		
		TOTAL TRENCH LENGTH:	<u>400'</u>		
		NUMBER OF TRENCHES:	<u>3 or 4</u>		
		GRAVEL DEPTH:	<u>12"</u>		
		TANK SIZE:	<u>1000 g</u>		NO EXPIRATION ☐ YES ☒ NO
		PUMP TANK SIZE:	<u>1000 g</u>		
		DISTRIBUTION DEVICE:	<u>Pressure Manifold</u>		

IMPROVEMENT PERMIT

DATE: 05/23/07

FOR: John Foster Homes

ISSUED BY: Sarah Matthews Durham, RSI

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# 06550

Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.
(The wastewater system cannot be installed until authorization is signed)

Comments: _____

Date: 08/30/07 Environmental Health Specialist: Sarah Matthews Durham, RSI
Construction Authorization Addendum ☐ Yes ☒ No

NFI

OPERATION PERMIT

DATE:

SYSTEM INSTALLED BY: _____

ISSUED BY: _____

PERFORMANCE, MONITORING, MAINTENANCE AND OPERATION
AS REQUIRED BY RULE .1961