



First Choice R & R Radon Remediation
5100 Unicon Dr
Suite 105
Wake Forest, NC 27587
info@firstforradon.com | 984-867-2366

Customer Information

Lisa Carson
8437 Charlie Stovall Road
Oxford, NC 27565
USA

RADON CONCENTRATION AVERAGE

1.1 pCi/L


Best Regards,

A black and white image of a handwritten signature in cursive script, appearing to read 'Randy Paquette'.

Randy Paquette

All 47 lower states

103873 RMT FAFM ART
NC general 36543



Test Results

Average: 1.1 pCi/L

Minimum: 0.0 pCi/L

Maximum: 2.0 pCi/L

Test Information

Start Date: 04/04/2025 02:37 PM EST
End Date: 04/07/2025 02:37 PM EST
Test Duration: 72
Delay: No Delay
Instrument Location: Basement

Device Information

Device Type: Continuous Radon Monitor
Device Manufacturer: RadonAway
Model: RadStar RS300
Serial #: 03603
Last Calibration Date: 01/20/2025
Next Calibration Date: 01/20/2026

Tester Information

Started Test: Randy Paquette
All 47 lower states
Ended Test: Randy Paquette
All 47 lower states



Test Data

Hour	Radon Level (pCi/L)	Alpha Counts	Tilt (T)	Battery (B)	Power (AC)
01	0.0	0			
02	0.3	7			
03	0.0	1			
04	0.5	10			
05	0.0	0			
06	0.2	5			
07	0.3	7			
08	1.0	20			
09	0.8	16			
10	0.8	16			
11	1.4	28			
12	1.3	27			
13	0.5	11			
14	0.4	9			
15	1.5	30			
16	1.1	22			
17	1.4	28			
18	1.2	25			
19	1.1	23			
20	1.7	34			
21	1.6	32			
22	1.4	29			
23	1.6	33			
24	1.4	28			
25	0.9	19			
26	1.5	31			
27	1.1	22			
28	1.5	31			



29	1.4	28
30	1.6	32
31	1.5	30
32	1.5	30
33	0.9	19
34	1.0	20
35	0.9	19
36	1.2	25
37	1.4	29
38	1.2	24
39	1.1	22
40	1.0	20
41	1.4	29
42	0.9	19
43	1.7	35
44	1.4	29
45	1.1	23
46	1.0	20
47	1.0	20
48	1.6	32
49	1.0	21
50	1.0	20
51	1.1	22
52	1.5	31
53	0.9	18
54	1.8	36
55	0.7	14
56	1.3	27
57	1.4	29
58	1.1	23
59	0.7	15
60	1.2	25



61	2.0	41
62	1.1	22
63	1.3	26
64	0.7	15
65	1.2	24
66	0.9	18
67	1.4	28
68	0.8	16
69	2.0	40
70	1.6	33
71	1.4	28
72	1.1	23

Test Results

Average: 1.1 pCi/L

Minimum: 0.0 pCi/L

Maximum: 2.0 pCi/L