

PERMIT NUMBER 8426

GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT IMPROVEMENT AND OPERATION PERMITS

COUNTY: <i>Granville</i>	TAX NO.	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
	SR. NO. <i>1528</i>	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: <i>4</i>	NUMBER OF OCCUPANTS:	
APPLICANT: <i>James Clay Woods</i>	WATER SUPPLY	WELL ☐ PUBLIC ☐	OTHER ☐		
APPLICANT'S NAME & ADDRESS: <i>107 Edgewood Dr.</i>	TYPE OF WASTEWATER SYSTEM	INITIAL INSTALLATION	REPAIR		
PROPERTY ADDRESS/LOCATION: <i>Same</i>	DESIGN FLOW:		<i>480</i>		
	LTAR:		<i>0.3</i>		
SUBDIVISION:	ABSORPTION AREA:		<i>1600'ft</i>		
LOT NUMBER:	TRENCH WIDTH:		<i>3'</i>		
REFERENCE SKETCH (SEE PLAT FOR DETAILS) <i>Installer should contact H.D. before installation</i> <i>914-693-2688</i>	TRENCH DEPTH:		<i>12"-36"</i>		
	TRENCH SPACING:		<i>9'</i>		
	TOTAL TRENCH LENGTH:		<i>523'00</i>		
	NUMBER OF TRENCHES:		<i>5</i>		
	GRAVEL DEPTH:		<i>12" acc. poly</i>		
	TANK SIZE:		<i>Exist</i>		
	PUMP TANK SIZE:				
	DISTRIBUTION DEVICE:		<i>D-Box</i>		
***** IMPROVEMENT PERMIT DATE: <i>12-1-15</i> *****					

FOR: *James Clay*
ISSUED BY: *Walter T. Vaughan*

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# 8426

Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.
(The wastewater system cannot be installed until authorization is signed)

Comments: _____

Date: *12-1-15* Environmental Health Specialist: *Walter T. Vaughan AC*

Construction Authorization Addendum ☐ Yes ☐ No

OPERATION PERMIT

DATE: *12-10-15*

SYSTEM INSTALLED BY: *Butch Cargin*
ISSUED BY: *Walter T. Vaughan A.C.*

**PERFORMANCE, MONITORING, MAINTENANCE AND OPERATION
AS REQUIRED BY RULE .1961**

Granville County Health Department
Environmental Health

☒ Improvement Permit

Permit Number _____

☒ Construction Authorization

Final
SITE SKETCH

James & Wanda Clay
Applicants Name

Walter P. Vaughn
Authorized State Agent

Edgewood

Subdivision - Section - Lot

12-1-15

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to insure that proper grade is maintained.

