

Construction Authorization

Granville County Health Dept

Environmental Health

101 Hunt Drive

Oxford, NC 27565

Phone: (252) 492-5263 Fax: (252) 492-2361

For Office Use Only

*CDP File Number: 330211 - 1

County ID Number: 181300497419

Evaluated For: NEW

PERMIT VALID UNTIL: 09/16/2025

☐ Open Pump System Sheet

Applicant: Connie Ross

Address: 1450 Lake Robbins Drive

City: The Woodlands

State/Zip: TX 77380

Phone #: home: (252) 915-0741

Property Owner: LGI Homes

Address: 1450 Lake Robbins Drive

City: The Woodlands

State/Zip: TX. 77380

Phone #: home: (252) 915-0741

Property Location & Site InformationAddress/Road #: 933 Weatherby Ln Suite 430
Creedmoor, NC 27522

Subdivision: Weatherby Phase: NEW Lot: 10

Directions:

Structure: SINGLE FAMILY

of Bedrooms: 3

of People:

*Water Supply: NEW WELL

System Specifications

*Site Classification: Provisionally Suitable

Design Flow: 360

Soil Application Rate: 0.3000

Minimum Trench Depth: _____ Inches

Maximum Trench Depth: 18 Inches

*System Classification/Description:

TYPE III B. SYSTEM W/SINGLE EFFLUENT PUMP

Minimum Soil Cover: _____ Inches

Maximum Soil Cover: _____ Inches

*Proposed System:

25% REDUCTION

*Distribution Type: PRESSURE MANIFOLD

Nitrification Field: 900 Sq. ft.

No. Drain Lines: 4

Total Trench Length: 300 ft.

Trench Spacing: 9 -

Trench Width: 3 -

Aggregate Depth: _____ inches

☐ Inches O.C.☒ Feet O.C.☐ Inches☒ Feet

Septic Tank: 1,000 Gallons

Pump Required: ☒ Yes ☐ No ☐ May Be Required

Pump Tank: 1,000 Gallons

Grease Trap: _____ Gallons

Septic Tank Installer

Grade Level Required: ☐ I ☒ II ☐ III ☐ IV

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

***Permit Conditions:**

System (Initial/Repair) Flagged in field by soil scientist/Stay off all easements with drainlines and tanks/Drainlines min. 10' off property lines/Supply line min. 5' off property lines/Keep any part of septic min. 50' off retention pond/50' min. off well's

The Authorization for Wastewater System Construction shall be valid for a period equal to the period of validity of the Improvement Permit and may be issued at the same time the Improvement Permit issued (NCGS 130A-336(b)). If the installation has not been completed during the period of validity of the Construction Permit, the information submitted in the application for a permit or Construction Authorization shall become invalid, and may be suspended or revoked (.1937(g)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting

Authorized State Agent: Bullock, Will *Will Bullock*

Date of Issue: 09/16/2020

☒ Hand Drawing☒ Import Drawing****Site Plan/Drawing attached.****

Total Time : (HH:MM) _____