


A vicinity map showing the location of the crime scene. The map includes a grid of streets with distances marked. Key streets shown are 1st St, 2nd St, 3rd St, 4th St, 5th St, 6th St, 7th St, 8th St, 9th St, 10th St, 11th St, 12th St, 13th St, 14th St, 15th St, 16th St, 17th St, 18th St, 19th St, 20th St, 21st St, 22nd St, 23rd St, 24th St, 25th St, 26th St, 27th St, 28th St, 29th St, 30th St, 31st St, 32nd St, 33rd St, 34th St, 35th St, 36th St, 37th St, 38th St, 39th St, 40th St, 41st St, 42nd St, 43rd St, 44th St, 45th St, 46th St, 47th St, 48th St, 49th St, 50th St, 51st St, 52nd St, 53rd St, 54th St, 55th St, 56th St, 57th St, 58th St, 59th St, 60th St, 61st St, 62nd St, 63rd St, 64th St, 65th St, 66th St, 67th St, 68th St, 69th St, 70th St, 71st St, 72nd St, 73rd St, 74th St, 75th St, 76th St, 77th St, 78th St, 79th St, 80th St, 81st St, 82nd St, 83rd St, 84th St, 85th St, 86th St, 87th St, 88th St, 89th St, 90th St, 91st St, 92nd St, 93rd St, 94th St, 95th St, 96th St, 97th St, 98th St, 99th St, 100th St. The crime scene is located at the intersection of 1st St and 1st Ave.

Magnetic North 1963
per P.O. 19-20



CLASSE	RAO H2S	LENGHT	DELTA	CHORO	CH. MEANING
A	10.00'	69.63'	69.73-3.6	48.16	N 49.16' 4.0'
B	10.00'	69.63'	111.07-3.8	48.25	N 48.25' 10.6'
C	50.00'	87.18'	69.63-3.6	70.00	N 70.00' 5.4'
D	50.00'	75.66'	69.63-3.6	70.00	N 70.00' 5.4'
E	50.00'	75.66'	69.63-3.6	70.00	N 70.00' 5.4'
F	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
G	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
H	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
I	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
J	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
K	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
L	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
M	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
N	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
O	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
P	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
Q	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
R	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
S	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
T	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
U	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
V	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
W	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
X	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
Y	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'
Z	50.00'	104.35'	69.63-3.6	70.00	N 70.00' 5.4'

VANCE COUNTY, N.C.
FILED FOR RECORD
2004 FEB -9 AM 9:39
CYNTHIA S. ABBOTT
REGISTER OF DEEDS

To the best of my knowledge, this survey is not repeated within 2000 feet of a Grid Intersection.

This plot is subject to all common-sense agreements and rights of way of record prior to the date of this plot.

NOTE: Letters also noted -
 MP's not at all in error and right-of-way
 points; MP's not in territory of S.R. 199
 where no lines intersect.

CAWTHORNE & ASSOCIATES
Registered Land Surveyors, P.A.

00748 SURVEY OF
Timberlake Estates

[illegible][illegible]

CAWTHORNE & ASSOCIATES
Registered Land Surveyors, P.A.
P. O. Box 1558 822 Dobney Drive
Henderson, North Carolina 27536
919-492-0041

00748 SURVEY OF
Timberlake Estates
Owner - Tony Barter
MIDDLEBURG TOWNSHIP
VANCO COUNTY, NORTH CAROLINA
Scale 1" = 100'
JULY 26, 1994
FILE # 91-94-1234-1

h h b . M

EXHIBIT "A"
PAGE 1 OF 2

RESTRICTIVE COVENANTS

1. No dwelling and/or outbuilding shall be located, built, or maintained on the property (or any permitted subdivided lot) until the plans, specifications and site location for said dwelling and/or outbuilding have been approved in writing by the grantor or its successor or duly appointed agent. Each such dwelling and/or outbuilding shall be completed within a twelve month period from the time foundation is laid.
2. No residence shall be erected or maintained on the property (or any permitted subdivided lot) which has a usable floor space of less than 1,600 square feet, excluding porches.
3. The original grantee, to wit: Anthony W. Barker and wife, Julie E. Barker, shall be entitled to subdivide the property into individual building lots, subject to any size restriction required by any governmental entity, however, thereafter, the subsequent purchaser of a subdivide lot cannot re-subdivide his/her and/or their lot without the written consent of the grantor or its successor or duly appointed agent. Only one residence shall be erected on each subdivided lot.
4. No housetrailer of any kind, regardless of size, facilities shall be erected or maintained on the property (or any permitted subdivided lot).
5. No modular home shall be erected or maintained on the property (or any permitted subdivided lot) unless the same has been approved in writing by the grantor or its successor or duly appointed agent.
6. No business, industry or other commercial endeavor of any sort or description shall be maintained on the property (or any permitted subdivided lot).
7. No dwelling shall be erected or maintained on the property (or any permitted subdivided lot) which shall be the subject of governmental subsidized rental or governmental subsidized house payments.
8. No cattle, swine, or goats may be kept or maintained on the property (or any permitted subdivide lot), but a limited number of dogs and cats may be kept on the property (or any permitted subdivided lot), provided they do not become a nuisance, and provided they are not kept, bred, or maintained for any commercial purpose.
9. One horse per acre will be allowed on any permitted subdivided lot exceeding one acre in size and adjoining the property of James G. Pulley, however, proper fencing and shelter shall be maintained for said horse in the rear of the property no further than 50 feet from the back property line.

EXHIBIT "A"
PAGE 2 OF 2

10. No junked or abandoned vehicles or other unsightly debris shall be allowed on the property (or any permitted subdivided lot).

11. No hunting and/or trapping shall be allowed on the property (or any permitted subdivided lot) without the written consent of the grantor or its successor or duly appointed agent.

12. Invalidation of any one of these covenants by Judgment or Court Order shall in no way affect any of the other provisions which shall remain in full force and effect.

GRANVILLE VANCE

public health

Construction Authorization

Vance County Health Dept

Environmental Health

115 Charles Rollins Road

Henderson, NC 27536

Phone: (252) 492-5263 Fax: (252) 492-2361

For Office Use Only

*CDP File Number: 359710 - 1

County ID Number: 0608 02067

Evaluated For: NEW

PERMIT VALID UNTIL: 08/02/2026

☐ Open Pump System Sheet

Applicant: Alvin Barner

Address: PO Box 453

City: Sptsylvania

State/Zip: VA 22553

Phone #: home: (540) 226-0843 cell: (540) 226-1525

Property Owner: Alvin Barner

Address: PO Box 453

City: Sptsylvania

State/Zip: VA 22553

Phone #: home: (540) 226-0843 cell: (540) 226-1525

Property Location & Site Information

Address/Road #: Greta Ln Henderson, NC 27837

Subdivision: Timberlake Estates Phase: NEW Lot: 8

Directions:

Estates

Structure: SINGLE FAMILY

See attachment

of Bedrooms: 4 BR Per Nancy

of People:

*Water Supply: NEW WELL

System Specifications

*Site Classification: Provisionally Suitable

Design Flow: 480

Soil Application Rate: 0.4000

Minimum Trench Depth: 12 Inches

Maximum Trench Depth: 14 Inches

*System Classification/Description:

Minimum Soil Cover: 6 Inches

TYPE III G. OTHER NON-CONV. TRENCH SYSTEMS

Maximum Soil Cover: Inches

*Proposed System:

25% REDUCTION

*Distribution Type: PRESSURE MANIFOLD

Nitrification Field: 915 Sq. ft.

Septic Tank: 1,000 Gallons

No. Drain Lines: 5

Pump Required: ☒ Yes ☐ No ☐ May Be Required

Total Trench Length: 305 ft.

☐ Inches O.C.☒ Feet O.C.

Pump Tank: 1,000 Gallons

Trench Spacing: 9 -

☐ Inches

Grease Trap: Gallons

Trench Width: 3 -

☒ Feet

Septic Tank Installer

Aggregate Depth: inches

Grade Level Required: ☐ I ☒ II ☐ III ☐ IV

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

*Permit Conditions:

CONTRACTOR TO MEET ONSITE BEFORE INSTALL. ONLY 2 AREAS OF USABLE SOIL.

TAP SIZES ON PRESSURE MANIFOLD MUST BE CORRECT FOR DIFFERENT LENGTH LINES.

The Authorization for Wastewater System Construction shall be valid for a period equal to the period of validity of the Improvement Permit and may be issued at the same time the Improvement Permit issued (NCGS 130A-336(b)). If the installation has not been completed during the period of validity of the Construction Permit, the information submitted in the application for a permit or Construction Authorization shall become invalid, and may be suspended or revoked (1937(g)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting

Authorized State Agent: Adcock, Jordan

Date of Issue: 08/02/2021

☒ Hand Drawing☐ Import Drawing

Site Plan/Drawing attached.

Total Time: (HH:MM)

Granville-Vance Dist. Health Department
Environmental Health

608 02067

5-247633

Permit Number 359710

☒ Improvement Permit


☒ Construction Authorization

SITE SKETCH
ON-SITE / WELL

Alvin Barrer
Applicants Name


Greta Lane
Address

Timberlake Lot #8
Subdivision - Section - Lot


Authorized State Agent

8/2/2021
Date


System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that proper grade is maintained.





1:206 Feet


The maps prepared for this website are generated from recorded deeds, plats, and other public records. Users of these maps are hereby notified that the information provided herein should be verified. Vance County assumes no legal responsibilities for any of the information contained on this site. Users are advised that the use of any of this information is at their own risk.



Note: Soils on this property are highly variable and difficult to map.

See Enlarged soil areas on Figures 2 and 3.

The "Orange" shaded areas shown have **Usable** soils for shallow conventional gravel or Accepted gravelless septic systems. The soil in these two areas have depths 24 to 30 inches from the surface. Area "A" has a deep surface layer of sandy loam and Area "B" has sandy loam surface over a clayey subsoil. This two soil areas combined appear to have adequate soil for a septic system to serve a single family dwelling with 3 or 4 bedrooms and is subject to local health department approval. An engineered flow study may be done to increase a bedroom if needed. There may be other minor areas of usable soil on this property too small to map and utilize with a septic system.



1" ~ 100'




SOIL HORIZONS
PO Box 1063
Youngsville, NC 27596

Lot 8 Greta Lane
Soil Map for Septic System
Suitability
Vance County, North Carolina

Date: Aug, 2020

Figure 1



Borings marked in field with blue tape

The "Orange" shaded area shown has **Usable** soils for shallow conventional gravel or Accepted gravelless septic systems. The soil in this area is 24 to 30 inches of sandy loam material. Soil loading rates in this type of soil may be in the range of 0.4 to 0.6 gallons per day per square foot. There is approximately 6,000 square feet of usable soil in this area.



John R. Davis, Jr.

As Shown




SOIL HORIZONS
PO Box 1063
Youngsville, NC 27596

Lot 8 Greta Lane
Soil Area "A"
Vance County, North Carolina

Date: Aug, 2020

Figure 2



The "Orange" shaded area shown has **Usable** soils for shallow conventional gravel or Accepted gravelless septic systems. The soil in this area is mostly greater than 30 inches of sandy loam over clayey material. Soil loading rates in this type of soil may be in the range of 0.3 to 0.4 gallons per day per square foot. There is approximately 4,000 square feet of usable soil in this area.



John R. Davis, Jr.

As Shown	 SOIL HORIZONS PO Box 1063 Youngsville, NC 27596	Lot 8 Greta Lane Soil Area "B" Vance County, North Carolina
Date: Aug, 2020		Figure 3