

PERMIT NUMBER 2579

**GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS**

COUNTY <i>Vance</i>	TAX NO. <i>SR NO. 1305</i>	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A FLAT, INCLUDING SYSTEM REQUIREMENTS.
OWNER: <i>Frank Coonan</i>		RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS <i>11</i>	NUMBER OF OCCUPANTS <i>5</i>	
APPLICANT: <i>Appl. Co. HomeStar</i>		WATER SUPPLY			
APPLICANT'S ADDRESS:		PUBLIC ☐	WELL ☒	OTHER ☐	*THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED.
PROPERTY ADDRESS/LOCATION: <i>212 Lyda Lane</i>		TYPE OF WASTEWATER SYSTEM			
		DESCRIPTION	INITIAL INSTALLATION	REPAIR	
SUBDIVISION: <i>Lyda Acres</i>		DESIGN FLOW	<i>480</i>		
LOT NUMBER: <i>14</i>		LTAR	<i>.3</i>		
REFERENCE SKETCH (SEE FLAT FOR DETAILS) <i>Call H&H for layout when lot cleared</i>		ABSORPTION AREA	<i>1500² ft</i>		
		TRENCH WIDTH	<i>3</i>		
		TRENCH SPACING	<i>9'</i>		
		TOTAL TRENCH LENGTH	<i>500'</i>		
		NUMBER OF TRENCHES	<i>5</i>		
		GRAVEL DEPTH	<i>12"</i>		*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
		TANK SIZE	<i>1000 5-gal tank</i>		
		CONDITIONS	<i>1000 gal pump pressure manifold</i>		
IMPROVEMENT PERMIT				DATE:	
FOR ISSUED BY: <i>Walter T. Vance</i>				<i>6-28-2000</i>	
OPERATION PERMIT				DATE:	
SYSTEM INSTALLED BY: <i>Norman C. Hood</i>				<i>7-8-2000</i>	
ISSUED BY: <i>W. Vance</i>					

SITE PLAN FOR FRANK COONAN
 132 LYDIA LANE
 HENDERSON, NC 27536
 1" = 100'

William H. Travis
 D.B. 588, Pg. 576
 P.B. "U", Pg. 363

Michael T. Ruger
 D.B. 736, Pg. 453

Judy & Robert Norwood
 D.B. 716, Pg. 601

