

**HORIZONTAL LAP SIDING -
SIZE & MATERIAL PER
SPEC.**

BUILDING CODES
THE ILM HAS BEEN REDESIGNED UNDER THE NEW BUILDING CODES, 2014
MEDICAL EDITION.


ICE GLAZES:
APPLYING GLAZES SHALL BE USED ONLY ON ROOF SLOPES OF TWO UNITS
VERTICAL IN 12 UNITS HORIZONTAL, (24:12) OR GREATER. FOR ROOF SLOPES
FROM TWO UNITS VERTICAL IN 12 UNITS HORIZONTAL, (24:12) TO FOUR
UNITS VERTICAL IN 12 UNITS HORIZONTAL, (12:12), DOUBLE INSULATION
SHALL BE REQUIRED. FOR ROOF SLOPES FROM TWO UNITS VERTICAL IN
12 UNITS HORIZONTAL, (12:12) TO ONE UNIT VERTICAL IN 12 UNITS

12" X 42" VENT PER SPEC

CEAM, SPACE VENTILATION
THE NEW, WIDE AREA OF CEAM VENTILATION OPENINGS SHALL NOT BE LESS THAN 1.52 CM (5/8") FOR EACH SQ. FT. OF CEAM, SPACE AREA.
2005, 2006, 07, NET FLOOR AREA, REQUIRED
WALLS BE REDUCED BY 22% W. VAPOR BARRIER

ATTIC VENTILATION
NOTE: 30 FT. OF NET AND GUTTER VENTILATION SHALL BE PROVIDED FOR EACH 100 SQ. FT. OF ATTIC FLOOR AREA.
CONCRETE ROOFING

E




1000


Scale: $1/4" = 1'-0"$

Scale: 1/4" = 1'-0"

BUILDING CODES
This is a planning review (discussed under the new building codes, 2018) by the Planning Commission.

	ASPHALT SHINGLES
	STRANDING SEAM METAL ROOF
	HORIZONTAL LAP SIDING
	BOARD & BATTEN SIDING @ 16" C.
	SHAKE SIDING
	BRICK VENEER
	SYNTHETIC STONE VENEER
	PARAPET BLOCK FOUNDATION





GENERAL NOTES

WINDOW NOTE LEGEND

SH	SINGLE HUNG
FX	FIXED
SC	SINGLE CASEMENT
DC	DOUBLE CASEMENT
TC	TRIPLE CASEMENT



McMillan Design
847 Wake Forest Business Park, Suite 102
Wake Forest, NC 27587

Plan Numl
MO02.

Sheet
No.

Date: 2/6/20;

© Copyright © 2001
McMillan Digital