



OPERATION PERMIT

Franklin County Health Department
107 Industrial Drive
Louisburg, NC 27549
Phone:

For Office Use Only

*CDP File Number 409131 - 1

County ID Number:

Evaluated For: NEW

Property Owner: ESTRELLA HOPKINS
Owner Address: 4201 AUBURN HILLS DR

City: RALEIGH

State/Zip: / 27616

Phone #:

Address: 165 NASHUA DR
LOUISBURG, NC 27549

Road #:

Township:

Subdivision: LAKE ROYALE

Phase : NEW Lot: 2592

Structure: SINGLE FAMILY

of Bedrooms: 3

of People: 4

Water Supply: COMMUNITY

Saprolite System?: ☐ Yes ☒ No

Pump Required?: ☐ Yes ☒ No

Design Flow: 360

System Classification/Description: TYPE III G. OTHER
NON-CONV. TRENCH SYSTEMS

Installer: *Avila Const.*

Specific System EZFLOW EZ 1203H-GEO

Installed:

STB: 502

DB-1000

PT:

Comments:

Certification #:

Septic Tank Date: _____

Pump Tank Date: _____

This system has been installed in compliance with applicable NC General Statutes, Rules for Sewage Treatment and Disposal, and all conditions of the Improvement Permit and Construction Authorization.

PERMIT CONDITIONS:

I. Performance: System shall perform in accordance with Rule .1301.

II. Monitoring: As required by Rule .1301.

III. Maintenance: Ground absorption sewage treatment and disposal systems shall be checked, and the contents of the septic tank removed, periodically from all compartments, to ensure proper operation of the system. The contents shall be pumped whenever the solids level is found to be more than 1/3 of the liquid depth in any compartment.

Other:

Subsurface Operator Required: ☐ Yes ☒ No

If yes, see attached sheet for additional operation conditions, maintenance and reporting.

Operation:

Other:

Authorized State Agent: Bendel, Joel

Date of Issue: 07/28/2025

Owner/Applicant:

