PERMIT NUMBER № 1068

GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS

Cynthia + Timothy Lloyd

COUNTY: Vance	TAX NO. 06OSA 010398	TYPE OF ESTABLISHMENT		
	SR NO. 1319	RESIDENCE ✓ BUSINESS — OTHER —	NUMBER OF BEDROOMS: 3	NUMBER OF OCCUPANTS: —
OWNER: Swoiey Builders				
APPLICANT: Same		WATER SUPPLY		
APPLICANT'S ADDRESS:		PUBLIC ___	WELL ✓	OTHER ___
PROPERTY ADDRESS/LOCATION: Timberlake Est Off Franklin Lane		TYPE OF WASTEWATER SYSTEM		
		DESCRIPTION	INITIAL INSTALLATION	REPAIR
SUBDIVISION: Timberlake		DESIGN FLOW:	360	
LOT NUMBER: 72 1.3		LTAR:	.3	
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		ABSORPTION AREA:	1200 ft	
		TRENCH WIDTH:	3	
		TRENCH SPACING:	9'	
		TOTAL TRENCH LENGTH:	400'	
		NUMBER OF TRENCHES:	4	
		GRAVEL DEPTH:	12"	
		TANK SIZE:	1000	
		CONDITIONS:		



*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.

*THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED.

*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.

IMPROVEMENT PERMIT	DATE:
FOR:	
ISSUED BY: Walter P. Vaughn RS	2-12-98
OPERATION PERMIT	DATE:
SYSTEM INSTALLED BY: Ken Davis	2-14-98
ISSUED BY: W. Vaughn	