

PERMIT NUMBER 06752

GRANVILLE-VANCE DISTRICT HEALTH DEPARTMENT IMPROVEMENT AND OPERATION PERMITS

COUNTY:	TAX NO.	TYPE OF ESTABLISHMENTS			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS.
Granville	183500166814	RESIDENCE ☒	NUMBER OF BEDROOMS:	NUMBER OF OCCUPANTS:	
	SR. NO. Hwy 96	BUSINESS ☐	2		
OWNER: Doug Ezell		OTHER ☐	WATER SUPPLY	WELL ☒	
APPLICANT'S ADDRESS:		TYPE OF WASTEWATER SYSTEM	INITIAL INSTALLATION	REPAIR	*THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USES CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT. CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
1641 Hwy 96			Type III b,g	Type III b,g	
Franklin, NC					
PROPERTY ADDRESS/LOCATION:		DESIGN FLOW:	240 gpd		
27525 Hwy 96		LTAR:	225 gpd/ft ²		
SUBDIVISION:		ABSORPTION AREA:	1067 ft ²		
LOT NUMBER:		TRENCH WIDTH:	3'		
1A (9.771 Acres)		TRENCH DEPTH:	24"		
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		TRENCH SPACING:	9' o.c.		
Lines dug level and on contour, - stay on upper side of terrace as much as possible - Do not install in wet conditions		TOTAL TRENCH LENGTH:	270'		
		NUMBER OF TRENCHES:	3		
		GRAVEL DEPTH:	Accepted Status (non-gravel)		PERMIT VALID FOR: 5 YEARS YES ☒ NO ☐
		TANK SIZE:	1000 gal		
		PUMP TANK SIZE:	1000 gal		NO EXPIRATION YES ☐ NO ☒
		DISTRIBUTION DEVICE:	Pressure manifold		

*****IMPROVEMENT PERMIT DATE: 6-5-08*****

FOR: Doug Ezell
ISSUED BY: David Cumber

CONSTRUCTION AUTHORIZATION FOR IMPROVEMENT PERMIT# 06752

Unless otherwise indicated, the same conditions above apply regarding system type, layout, location and installation requirements.
(The wastewater system cannot be installed until authorization is signed)

Comments: Keep tanks + 50' from pond

Date: 6-5-08 Environmental Health Specialist: David Cumber Construction Authorization Addendum ☐ Yes ☒ No

OPERATION PERMIT

DATE:

SYSTEM INSTALLED BY: _____
ISSUED BY: _____

PERFORMANCE, MONITORING, MAINTENANCE AND OPERATION
AS REQUIRED BY RULE .1961

Granville County Health Department
Environmental Health

Pin _____

Permit Number _____

____ Improvement Permit

____ Construction Authorization

SITE SKETCH

Applicants Name

Subdivision - Section - Lot

Authorized State Agent

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to insure that proper grade is maintained.

