

KOED530PSS

KitchenAid®

KitchenAid® 30" Double Wall Ovens with Air Fry Mode

<http://www.kitchenaid.com>



Key Features:

- Air Fry Mode
- Dishwasher-Safe Air Fry Basket
- Even-Heat™ True Convection
- Integrated Meat Thermometer
- EasyConvect™ Conversion System
- SatinGlide™ Roll-Out Extension Racks
- 4,000-Watt Broil Element
- FIT System Limited Guarantee
- Even-Heat™ Preheat
- Self-Close Doors
- Self-Cleaning Cycle
- 5.0 Cu. Ft. Oven Capacity

Product Dimensions:

Height: 50 13/16

Width: 29 3/4

Depth: 27 1/8

Electrical Requirements:

40. 240V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)

INVESTED
IN
AMERICA


©Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies. Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice. Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.
Created On: Wednesday, February 12, 2025 16:34:46

KDTM404KPS

KitchenAid®

360° Max Jets™ Third Rack Dishwasher with 50+
Total Wash Jets, 44 dBA

<http://www.kitchenaid.com>



Key Features:

- 50+ Total Wash Jets
- 7.25 cu. ft. MaxTub Largest Dishwasher Tub* *Based on usable volume.
- 360° Max Jets™ Third Rack
- True Self-Cleaning Filtration
- Designed for Quiet Cleaning at 44 dBA
- Express Wash Cycle
- ProWash™ Cycle
- PrintShield™ Finish
- Heat Dry Option
- Durable Stainless Steel Interior
- SatinGlide® Rails in Third and Middle Racks
- Adjustable Rows in Middle and Lower Racks

Product Dimensions:

Height: 33 5/8

Width: 23 7/8

Depth: 26 3/4

Electrical Requirements:

15. 120V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)



©Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies. Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice. Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices. Created On: Wednesday, February 12, 2025 16:36:49

KCGS556ESS

KitchenAid®

36" 5-Burner Gas Cooktop

<http://www.kitchenaid.com>

Key Features:

- 20,000 BTU Professional Dual Ring Burner
- 6,000 BTU Even-Heat™ Simmer Burner
- CookShield Finish
- Electronic Ignition
- Full-Width Cast-Iron Grates
- Multi-Finish Knobs
- LP Conversion Kit

Product Dimensions:

Height: 3 5/8

Width: 36

Depth: 21

Electrical Requirements:

15. 120V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Installation Guide](#)

[Warranty Certificate](#)



INVESTED
IN
AMERICA

ADA
Compliant

®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies. Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice. Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.
Created On: Wednesday, February 12, 2025 16:37:30

PRESRV™

BEVERAGE
COOLER

SINGLE ZONE



Our Presrv™ Beverage Cooler is as chill as it looks and is always ready to party. Featuring a Full-Extension Wood Rack to hold your favorite wine and craft brew and a convenient retractable glass quarter-shelf that gives you the flexibility to display

taller bottles such as water, 2-liter bottles of soda, or champagne. New enhancements include mood-setting LED light strips in three colors and four light levels and an updated kick-plate with lock.

ZEPHYR

ZEPHYRONLINE.COM



Retractable Quarter-Shelf



Full-Extension Wood Rack



Optional Pro Handle

How Presrv™ Stands Out:

34°

PreciseTemp™

Multiple internal sensors help maintain accurate temperatures



Vibration Dampening System

Noise and vibration is reduced to minimize wine disturbance



Active Cooling Technology

An on-board computer controls active cooling fans to provide temperature stability and even cooling



3-Color LED Lighting

Available in Cloud White, Deep Blue and Amber

PRESRV™

BEVERAGE
COOLER

SINGLE ZONE

ZEPHYR

ZEPHYRONLINE.COM

MODEL

Single Zone Beverage Cooler PRB24C01CG

Size

24"

Dimensions

23-7/8"W x 33-15/16"H x 23-3/8"D

Weight

112lbs.

Installation Type

Compact / Built-in / Freestanding

Refrigerant Type

R600a

FEATURES**Capacity**7 bottles (750 ml), 108 12oz cans or
13 bottles (750 ml), 80 12oz cans**Volume**

5.6 cu/ft

Temperature Range

34° - 50° F

Sound Level

39 dBA

Door Finish

304-grade Stainless + Glass

Cabinet Finish

Black

Interior Finish

Black

Field-Reversible Door

Yes

Zero-Clearance Door Hinge

Yes, concealed

Door Glass

Dual-pane, Low-e Argon-filled*

Shelving - Wood1 full-extension, black wood rack w/
stainless trim**Shelving - Beverage**1 adjustable, transparent-gray glass
retractable quarter-shelf
1 adjustable, transparent-gray glass
shelf w/ airflow openings**Controls**

3-Color Electronic Touch

Lighting

3-Color LED Light Strips

Cloud White, Deep Blue, Amber

Four Light Levels

Yes

Door Open Alarm

Yes, after 3 minutes

Door Lock

Yes

Sabbath Mode

Yes

ENERGY STAR® Certified

Yes

Air Filtration

Yes, w/ carbon filter

PreciseTemp™

Yes

Active Cooling Technology

Yes

Vibration Dampening System

Yes

AC POWER

115V, 60Hz at Max. 1.0A

OPTIONAL ACCESSORIES**Contemporary Handle Kit**

PRHAN-C102 (Brushed Gold)

Contemporary Handle Kit

PRHAN-C104 (Matte Black)

Pro Handle Kit

PRHAN-C001 (Stainless Steel)

Glass Shelf

50150015




WARRANTY

2 years parts, 2 years labor

5 years compressor



*Dual-pane, argon-filled glass improves insulation to minimize heat exchange and increases soundproofing characteristics. The Low-e coating helps minimize the amount of UV and infrared light that passes through the glass door.

**Transforming the Kitchen through Design, Discovery, and Care**

Specifications subject to change, check zephyronline.com for up-to-date information.
Zephyr | 2277 Harbor Bay Parkway, Alameda, CA 94502 | 888.880.8368

MAR23.0101



CORE

MONSOON MINI II



INSERT

ACT™


ZEPHYR

ZEPHYRONLINE.COM


	INTERNAL BLOWER STANDARD	INTERNAL BLOWER with ACT™ AIRFLOW CONTROL TECHNOLOGY™*	
Min. - Max. CFM	290 - 600	290 - 390	290 - 290
Min. - Max. Sones	1.5 - 6	*AIRFLOW CONTROL TECHNOLOGY™ (ACT™) is an exclusive feature built into specific Zephyr hoods which can limit the maximum blower CFM to meet local code requirements.	




TOP



SIDE



Cabinet Bottom Cut-Out Size (W x D): 28-5/8" x 18" (AK9528BS), 34-5/8" x 18" (AK9534BS), 40-5/8" x 18" (AK9540BS), 46-5/8" x 18" (AK9546BS)



BACK

CORE

MONSOON MINI II

INSERT

ZEPHYR

ZEPHYRONLINE.COM

MODEL				
Stainless Steel	AK9528AS	AK9534AS	AK9540AS	AK9546AS
Size	30" (28-3/8")	36" (34-3/8")	42" (40-3/8")	48" (46-3/8")
Blower CFM (Min. - Max.)	290 - 600	290 - 600	290 - 600	290 - 600
Sones (Min. - Max.)	1.5 - 6	1.5 - 6	1.5 - 6	1.5 - 6
ACT 390 CFM (Min. - Max.)	290 - 390	290 - 390	290 - 390	290 - 390
ACT 290 CFM (Min. - Max.)	290 - 290	290 - 290	290 - 290	290 - 290
FEATURES				
ACT™ Technology	390, 290	390, 290	390, 290	390, 290
Controls	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
Speed Levels	3*	3*	3*	3*
Auto Delay-Off	Yes	Yes	Yes	Yes
Lighting	LumiLight LED, 6W x2	LumiLight LED, 6W x2	LumiLight LED, 6W x2	LumiLight LED, 6W x2
Dual-Level Lighting	Yes	Yes	Yes	Yes
Filters	Hybrid Baffle x2	Hybrid Baffle x2	Hybrid Baffle x2	Hybrid Baffle x3
Recirculating Option	Yes	Yes	Yes	Yes
DUCT SPECIFICATIONS				
Vertical Internal Blower	7" Round, 3-1/4" x 10"	7" Round, 3-1/4" x 10"	7" Round, 3-1/4" x 10"	7" Round, 3-1/4" x 10"
Horizontal Internal Blower	3-1/4" x 10"	3-1/4" x 10"	3-1/4" x 10"	3-1/4" x 10"
AC POWER	120V, 60Hz at Max. 4A	120V, 60Hz at Max. 4A	120V, 60Hz at Max. 4A	120V, 60Hz at Max. 4A
OPTIONAL ACCESSORIES				
Recirculating Kit	ZRC-9100A	ZRC-9100A	ZRC-9100A	ZRC-9100A + ZOF-C091
Make-Up Air Kit	MUA006A	MUA006A	MUA006A	MUA006A
Damper, 7" Round	AK00067	AK00067	AK00067	AK00067
MOUNTING HEIGHT RANGE**	24" - 36"	24" - 36"	24" - 36"	24" - 36"
WARRANTY	3 years parts, 1 year labor	3 years parts, 1 year labor	3 years parts, 1 year labor	3 years parts, 1 year labor

*When ACT™ is enabled the maximum speed levels will change. ACT 390 = 2 speeds and ACT 290 = 1 speeds.

**Mounting height refers to distance between top of a 36" tall cooking surface and bottom of hood.

ACT™**Airflow Control Technology™ (ACT™)**

is an exclusive feature built into specific Zephyr hoods which can limit the maximum blower CFM to meet local code requirements.

Specifications subject to change, check zephyronline.com for up-to-date information.
Zephyr Ventilation | 2277 Harbor Bay Parkway, Alameda, CA 94502 | 888.880.VENT

APR24.0101



KRFC302ESS

KitchenAid®

22 cu. ft. 36-Inch Width Counter Depth French Door Refrigerator with Interior Dispense

<http://www.kitchenaid.com>



Key Features:

- ExtendFresh™ Temperature Management System
- Interior Water Dispenser
- Produce Preserver
- Humidity-Controlled Crispers
- FreshChill™ Temperature-Controlled Full-Width Pantry
- Pull-Out Tri-Level Freezer Drawer
- LED Lighting
- Star-K Certified
- Automatic Ice Maker
- Max Cool
- Metal Wine Rack

Product Dimensions:

Height: 72

Width: 35 3/4

Depth: 30 1/4

Electrical Requirements:

15. 120V.

Additional Information:

[Owners Manual](#)

[Dimension Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)

INVESTED
IN
AMERICA

®Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2024 Whirlpool Corporation. All Rights Reserved. All other trademarks are owned by their respective companies. Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice. Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.
Created On: Wednesday, February 12, 2025 16:39:05