



GE APPLIANCES
a Haier company

Innovative Products and Solutions for Cooking, Cleaning, and Comfort

For more than 100 years, we've electrified and modernized life, bringing
convenience and fun to kitchens and homes.



C A F É



Profile

Haier

Hotpoint.

Bodewell

AIR&WATER
SOLUTIONS

Prepared for:

1001 S Reilly Rd
Fayetteville NC 28314-5560

For more information:

Charles See
CSEE@PARKSBUILDING.COM



48" Custom Hood Insert

Approx Dimensions (HxWxD):
12.5 H x 39.625 W x 21.875 D

Model#: UVC9480SLSS

- LED Hood Light
- 1200 CFM Range Hood Blower Motor
- Built-In WiFi
- ADA Compliant
- Baffle Filters
- Chef Connect
- Backlit Push Button Controls
- 4-Speed Fan
- Night Light Setting
- Heat Sensor
- Customizable Fit
- Remote control included



GE Profile™ ENERGY STAR Smart UltraFresh System Dishwasher with Microban™ Antimicrobial Technology with Deep Clean Washing 3rd Rack, 42 dBA

Approx Dimensions (HxWxD):
34 H x 23.75 W x 24 D

Model#: PDT755SYVFS

- Deep Clean Washing 3rd Rack
- UltraFresh System
- Twin Turbo Dry Boost™
- Microban® Antimicrobial Technology
- Smart Features Powered by SmartHQ™
- Smart Assist
- Deep Clean Silverware Jets
- 4 Bottle Wash Jets
- Steam
- Sanitize
- Active Flood Protect
- Lower Rack Fold-Down Tines
- Smooth-Glide Adjustable Middle Rack
- 42 dBA Dishwasher
- Piranha™ Hard Food Disposer



GE Profile™ 2.2 Cu. Ft. Built-In Sensor Microwave Oven

Approx Dimensions (HxWxD):
13.625 H x 24.25 W x 20 D

Model#: PCWK22U1WDD

- Built-in flexibility
- Glass touch controls
- Scan to Cook Technology
- WiFi Connect
- Sensor cooking controls
- Precision Defrost
- Extra-large 16" turntable
- Two-Step Child Lock
- 30 Seconds More, Instantly
- Expansive Capacity. Powerful Performance.
- 10 Power Levels for Every Dish
- Express Cook Mastery
- Multi Stage Cooking



Required 30" Built-In Trim Kit

Approx Dimensions (HxWxD):
18.9H x 29.76W x 1.06D

Model#: JX7230SLSS

- Genuine Part from GE Appliances
- Check Your Model Number to Confirm Compatibility
- Includes a One-Year Limited Warranty



GE Profile™ 22.4 Cu. Ft. Smart Counter-Depth Fingerprint Resistant 4-Door French-Door Refrigerator with Door In Door

Approx Dimensions (HxWxD):
69.875 H x 35.625 W x 31.25 D

Model#: PXD22BYPFS

- Fingerprint Resistant Stainless
- Hands-free AutoFill
- Adjustable Temperature Drawer
- LED Lighting
- Door-in-Door Storage
- Removable Bin Caddy
- Built-In WiFi
- Turbo Cool & Freeze
- Soft-Close Produce Drawers
- Dual-Evaporators
- Integrated Dispenser with Sensor
- Advanced Water Filtration
- Tilt-Out Bonus Storage
- Enhanced Shabbos Mode
- Counter-depth design

UVC9480SLSS


48" Universal Custom Hood Insert

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

Installation Information: Before installing, consult installation instructions, packed with product, for current dimensional data.



AMP RATING

120V	6.0
------	-----



These hoods are secured to the custom cabinet from both sides through 8 screws. Two 2x4 studs separated by 39" need to be provided on the custom cabinets for installation.

Art is showing the cutout dimensions.



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Specification Revised 05/24

UVC9480SLSS

48" Universal Custom Hood Insert

FEATURES AND BENEFITS

Adjustable CFM blower – Two high powered 610 CFM blowers are capable of delivering 1220 CFM air flow.

Brilliant LED dimmable lighting (bulbs included) – 4 long-lasting LED lights ensure even lighting for the entire cooking environment

Electronic backlit controls – Add a sophisticated look with this up-front, easy-to-use display

Premium Baffle Stainless Steel Filters – removes odors and grease from your cooking area and are easy to clean in your dishwasher

WiFi Connect – Control appliances with a smart device or just the sound of your voice


Chef Connect – Automatically control the hood's lights and fan by syncing with the range

Remote control included – Activate and adjust your hood functions from anywhere in the kitchen

Four-speed fan control – Helps draw smoke, grease, odors and moisture out of the kitchen air

Model UVC9420SLSS – Stainless steel

Model UVC9480SLSS – Stainless steel



PDT755SYV/BTV

GE Profile™ UltraFresh System Dishwasher with Microban® Antimicrobial Technology



DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

ELECTRICAL RATING

Voltage AC.....120
Hertz.....60
Total connected load amperage.....7.8
Calrod® heater watts max.....800/500

For use on adequately wired 120-volt, 7.8-amp circuit having 2-wire service with a separate ground wire. This appliance must be grounded for safe operation.

INSTALLATION INFORMATION: Before installing, consult installation instructions packed with product for current dimensional data.



For answers to your Monogram, Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Certified to NSF
Standard 184 for
sanitization



Listed by
Underwriters
Laboratories



As an ENERGY STAR® partner, GE has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

Specification Revised 8/23

PDT755SYV/BTV

GE Profile™ UltraFresh System Dishwasher with Microban® Antimicrobial Technology

FEATURES AND BENEFITS

Deep Clean Washing 3rd Rack – This innovative third rack offers a flexible design that lets you clean a variety of items in a single load. Dedicated jets provide a targeted wash that removes stuck-on food from spatulas, ramekins, utensils and more for a next-level clean!

UltraFresh System – Smart dishwasher algorithms introduce clean air and reduce moisture, refreshing the wash system to help prevent the growth of odor-causing bacteria. Interior filters are treated with Microban® Antimicrobial Technology.

Twin Turbo Dry Boost™ – The Twin Turbo Dry Boost™ system uses a smart dual-wattage heater and 2 fans that work together to remove water from hard-to-dry items like plastics and sports bottles.

Microban® Antimicrobial Technology – Enjoy longer-lasting dishwasher protection thanks to Microban® Antimicrobial Technology. Built into high usage points to prevent bacteria growth, it keeps surfaces 99% cleaner than unprotected surfaces.

Smart Features Powered by SmartHQ™ – Built-In WiFi and the SmartHQ™ app make it easy to connect, control and monitor your smart dishwasher from anywhere. You can also conveniently access the latest features, including customized cycles, remote status notifications and more.

Smart Assist – Smart sensors continuously monitor and ensure optimal washing and drying performance throughout the life of your dishwasher. Receive alerts when regular maintenance is needed and address issues before they become a problem.

Deep Clean Silverware Jets – A system of deep clean silverware jets blasts the silverware basket from the bottom up, targeting stuck-on foods to help eliminate the need for hand washing.

4 Bottle Wash Jets – This dishwasher with bottle jets ensures a targeted wash and deep clean for tall items, narrow glasses, jars and more. In the middle rack, each of the 4 bottle wash jets directs water and detergent inside to effectively wash hard-to-reach areas.

Steam – Loosen tough soils with the Steam option before the wash cycle begins to avoid pre-rinsing or soaking items by hand.

Sanitize – Enjoy piece of mind with a sanitization cycle that reduces up to 99.999% of bacteria on dishes.

Active Flood Protect – This dishwasher features Active Flood Protect, which prevents potential overflows for greater peace of mind. It works by using a water leak detector to sense when water is too high, pumping it out until a safe level is reached.


Lower Rack Fold-Down Tines – Get next-level loading flexibility in this dishwasher. Adjust the lower rack to accommodate any item thanks to multi-position, fold-down tines.

Smooth-Glide Adjustable Middle Rack – This dishwasher makes loading and unloading smooth and simple. The rack adjusts up or down to fit taller items and easily extends on stainless steel ball bearings, so you can make light work of even the heaviest loads.

42 dBA Dishwasher – Get reliable wash performance and a deep clean without unwanted noise thanks to this super-silent 42 dBA dishwasher.

Piranha™ Hard Food Disposer – The Piranha™ Hard Food Disposer lets you use your dishwasher without pre-rinsing. Its stainless steel impellers rotate to pulverize food particles and an anti-jamming design make sure wash arms stay unclogged.

Notification Bar – Always know the status of your dishwasher cycle with this sleek notification light. A bright bar illuminates different colors to indicate the status of the cycle.



Model PDT755SYVFS – Fingerprint Resistant Stainless

Model PDT755SBVTS- Black Stainless



PCWK22U1WDD

GE Profile™ Series 2.2 Cu. Ft. Built-In Sensor Microwave Oven

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

EXTERIOR DIMENSIONS (IN INCHES)	
W x H x D	24 1/4" x 13 5/8" x 20"


ACCESSORY TRIM KITS FOR GE MICROWAVE OVENS (AVAILABLE AT ADDITIONAL COST)

For a custom built-in appearance, these kits allow built-in installation of the microwave oven into a wall or cabinet alone and are U.L. approved for installation over a GE single electric wall oven. These kits should not be installed over a gas wall oven.

NOTE: 120V, 60-cycle, grounded power receptacle location optional on back within cabinet opening.


COLOR	TRIM KIT	SIZE	Z	MAX. HEIGHT
Stainless Steel	JX7227SLSS	27"	26 7/8"	18 7/8"
Slate	JX7227ELES	27"	26 7/8"	18 7/8"
Stainless Steel	JX7230SLSS	30"	29 3/4"	18 7/8"
Slate	JX7230ELES	30"	29 3/4"	18 7/8"
Black Stainless	JX7227BLTS	27"	26 7/8"	18 7/8"
Black Slate	JX7227FMDS	27"	26 7/8"	18 7/8"
Black Stainless	JX7230BLTS	30"	29 3/4"	18 7/8"
Black Slate	JX7230FMDS	30"	29 3/4"	18 7/8"

INSTALLATION INFORMATION: This information is not intended to be used for installing unit described. Before installing, consult installation instructions packed with product/kit for current dimensional data. For ADA compliance, the microwave must be installed no higher than 36 1/4".



Cabinet overlap requirements	30"	27"
A - Overlap of trim kit over top of cabinet	1"	1"
B - Overlap of trim kit over bottom of cabinet	1-1/8"	1-1/8"
C - Overlap of trim kit over sides of cabinet	2-1/8"	5/8"

NOTE: Allow an additional inch of clearance beyond trim kit frame on all sides to prevent the trim kit from blocking any outside adjoining cabinets/obstructions. Reference below drawing.



For answers to your Monogram, GE Café™ Series, GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Listed by
Underwriters
Laboratories

PCWK22U1WDD

GE Profile™ Series 2.2 Cu. Ft. Built-In Sensor Microwave Oven

FEATURES AND BENEFITS

Built-in microwave – This countertop microwave is built-in capable with a sleek matching trim kit

Glass touch controls -- Features a smooth glass design that is easy to operate and easy to clean

Scan-to-Cook Technology -- Effortlessly prepare your favorite frozen meals exactly as intended by the manufacturer—just scan the barcode, and let your microwave handle the rest.

WiFi Connect -- Seamlessly manage your GE Profile microwave's power, cook time, and timers from your smartphone, tablet, or voice control device for ultimate convenience.

Sensor cooking controls -- Automatically adjusts time and power for delicious cooking results

Weight and time defrost -- Simply enter the weight of the food, and the oven automatically sets the optimal defrosting time and power level or set your desired time for defrosting

Extra-large 16.5" turntable -- Rotates food throughout the cycle and accommodates large cookware

Two-Step Child Lock - This mandatory feature helps prevent unintended use by younger family members, with the option to deactivate it if not needed.


Add 30 seconds button -- Add 30 second increments of microwave cooking time

Kitchen timer -- Minute timer helps keep you on track

Model PCWK22U1WDD – Gray

Model PCWK22U1WWW – White

Model PCWK22U1WBB – Black



For answers to your Monogram, GE Café™ Series, GE Profile™ Series or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.





Listed by
Underwriters
Laboratories

PXD22BYP

GE Profile™ 22.3 Cu. Ft. Smart Counter-Depth Fingerprint Resistant 4-Door French-Door Refrigerator with Door In Door

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

Overall Dimensions	A - Overall Height to top of door (in)	69 7/8
	B - Height to top of hinge cover (in)	69 3/4
	C - Height to top of case (in)	68 5/8
	D - Hinge Cover Depth from Case Flange (in)	6
	E - Case Depth without door (in)	24 1/2
	F - Case Depth without Door Handle (in)	28 7/8
	G - Overall Case Depth with Door Handle (in)	31 1/4
	H - Depth with Door open 90 deg (in)	43
	I - Case Width (in)	35 5/8
	J - Width with door open 90 deg including handle (in)	44 7/8
	K - Top endcap of FZ drawer to floor (in)	24 1/2
	L - Top endcap of Middle drawer to floor (in)	33 1/2
	M - End cap to End cap height of middle drawer (in)	8 5/8



For answers to your Monogram, GE Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.



Listed by
Underwriters
Laboratories



PXD22BYP

GE Profile™ 22.3 Cu. Ft. Smart Counter-Depth Fingerprint Resistant 4-Door French-Door Refrigerator with Door In Door

FEATURES AND BENEFITS

Total Capacity: 22.3 Cu. Ft.

FF Capacity: 12.68 Cu. Ft.

FZ Capacity: 6.73 Cu. Ft.

ADA Compliant: No

Energy Star: Yes

Counter Depth

Ice & Water Dispenser: External

Icemaker: Yes

Water Filtration: Yes

Control Type: Electronic Temperature Controls

Internal Lighting: LED

Colors Available: Stainless Steel

Case Color: Dark Gray

Claims & Certifications: Energy Star Qualified

Warranty: Limited 1-year entire appliance, Limited 5-year sealed refrigerating system

Model PXD22BYPFS – Fingerprint Resistant Stainless

