

Customer Information

David Allen
8200-102 Hampshire Pl
Raleigh, NC 27613
USA

RADON CONCENTRATION AVERAGE


< 0.4 pCi/L

Dear David Allen,

A radon gas test was performed at the above address using a RadStar continuous radon monitor. The EPA recommends homes be fixed if the radon level is 4 pCi/L (picocuries per liter) (150 becquerels per meter cubed (Bq/m3)) or more. Because there is no known safe level of exposure to radon, the EPA also recommends that Americans consider fixing their home for radon levels between 2 pCi/L and 4 pCi/L (75 - 150 Bq/m3) .

Best Regards,

Walt Cooper



Test Results

Average: < 0.4 pCi/L

Minimum: 0.0 pCi/L

Maximum: 0.9 pCi/L

Test Information

Start Date: 09/02/2026 02:55 PM EST
End Date: 09/07/2026 12:42 PM EST
Test Duration: 117
Delay: No Delay
Instrument Location: Dining Room
Mitigation Tag: 0

Device Information

Device Type: Continuous Radon Monitor
Device Manufacturer: RadonAway
Model: RadStar α310
Serial #: 322
Last Calibration Date: 12/12/2025
Next Calibration Date: 12/12/2026

Tester Information

Started Test: Walt Cooper
Ended Test: Walt Cooper

Test Data

Hour	Radon Level (pCi/L)	Alpha Counts	Tilt (T)	Battery (B)	Power (AC)
01	0.1	14			
02	0.1	13			
03	0.0	12			
04	0.2	16			
05	0.0	8			
06	0.3	18			
07	0.0	10			
08	0.0	10			
09	0.0	11			
10	0.1	14			
11	0.0	12			
12	0.0	8			
13	0.0	4			
14	0.1	14			
15	0.2	15			
16	0.0	11			
17	0.5	21			
18	0.0	7			
19	0.0	12			
20	0.0	12			
21	0.5	21			
22	0.2	16			
23	0.8	28			
24	0.2	15			
25	0.5	21			
26	0.0	12			
27	0.4	19			
28	0.0	11			
29	0.1	13			

30	0.0	10
31	0.0	12
32	0.0	6
33	0.0	5
34	0.0	10
35	0.0	8
36	0.3	18
37	0.0	10
38	0.0	6
39	0.2	16
40	0.0	10
41	0.3	18
42	0.2	15
43	0.1	14
44	0.0	9
45	0.1	13
46	0.0	10
47	0.1	13
48	0.0	9
49	0.2	15
50	0.0	4
51	0.0	9
52	0.0	12
53	0.0	10
54	0.2	16
55	0.0	11
56	0.0	9
57	0.0	6
58	0.0	7
59	0.1	13
60	0.1	13
61	0.0	12
62	0.0	9
63	0.2	16

64	0.3	18
65	0.2	15
66	0.2	15
67	0.3	18
68	0.0	12
69	0.2	15
70	0.1	14
71	0.1	13
72	0.2	15
73	0.3	18
74	0.1	13
75	0.0	12
76	0.0	12
77	0.0	11
78	0.0	7
79	0.0	6
80	0.0	10
81	0.2	15
82	0.1	14
83	0.1	14
84	0.0	10
85	0.5	21
86	0.2	16
87	0.4	19
88	0.6	24
89	0.5	21
90	0.2	15
91	0.5	21
92	0.3	17
93	0.1	14
94	0.2	15
95	0.0	10
96	0.7	25

97	0.1	13
98	0.5	22
99	0.1	14
100	0.1	13
101	0.0	12
102	0.2	16
103	0.0	10
104	0.5	22
105	0.1	13
106	0.6	24
107	0.4	20
108	0.9	29
109	0.3	17
110	0.5	22
111	0.7	26
112	0.9	29
113	0.5	21
114	0.8	27
115	0.7	26
116	0.4	20
117	0.8	27

Test Results

Average: < 0.4 pCi/L

Minimum: 0.0 pCi/L

Maximum: 0.9 pCi/L