

PERMIT NUMBER 2208

**GRANVILLE - VANCE DISTRICT HEALTH DEPARTMENT
IMPROVEMENT AND OPERATION PERMITS**

COUNTY: <i>Vance</i>	TAX NO. <i>0595D 01027</i>	TYPE OF ESTABLISHMENT			*THIS PERMIT SHALL BE ACCOMPANIED BY A LAYOUT SHOWN ON A PLAT, INCLUDING SYSTEM REQUIREMENTS. *THE IMPROVEMENTS PERMIT MUST BE ATTACHED TO A CONSTRUCTION AUTHORIZATION BEFORE OBTAINING BUILDING PERMIT OR OTHER CONSTRUCTION PERMITS AND BEFORE A WASTEWATER SYSTEM IS INSTALLED. *THIS IMPROVEMENT PERMIT IS SUBJECT TO REVOCATION IF THE INTENDED USE CHANGE FROM THOSE SHOWN ON THE IMPROVEMENT PERMIT CHANGES SHALL REQUIRE HEALTH DEPARTMENT APPROVAL.
	SR NO. <i>1319</i>	RESIDENCE ☒ BUSINESS ☐ OTHER ☐	NUMBER OF BEDROOMS: <i>3</i>	NUMBER OF OCCUPANTS: <i>—</i>	
OWNER: <i>Creative</i>					
APPLICANT: <i>Same</i>		WATER SUPPLY			
APPLICANT'S ADDRESS:		PUBLIC ☐	WELL ☒	OTHER ☐	
PROPERTY ADDRESS/LOCATION: ~~<i>Sat Hill Rd</i>~~ <i>180 Wendy Ct.</i>		TYPE OF WASTEWATER SYSTEM			
		DESCRIPTION	INITIAL INSTALLATION	REPAIR	
SUBDIVISION: <i>Tanner Farm</i>		DESIGN FLOW:	<i>360</i>		
LOT NUMBER: <i>26</i>		LTAR:	<i>.3</i>		
REFERENCE SKETCH (SEE PLAT FOR DETAILS)		ABSORPTION AREA:	<i>1200² ft</i>		
		TRENCH WIDTH:	<i>3</i>		
		TRENCH SPACING:	<i>9'</i>		
		TOTAL TRENCH LENGTH:	<i>400'</i>		
		NUMBER OF TRENCHES:	<i>3</i>		
		GRAVEL DEPTH:	<i>12"</i>		
		TANK SIZE:	<i>1000</i>		
		CONDITIONS:			
IMPROVEMENT PERMIT			DATE:		
FOR:					
ISSUED BY: <i>Walter T. Vandyke</i>			<i>11-12-99</i>		
OPERATION PERMIT			DATE:		
SYSTEM INSTALLED BY: <i>Wayne Arscue</i>					
ISSUED BY: <i>W. Vaughn</i>			<i>12-7-99</i>		

Waverly D.
D.B. 585,

Jere P. Pa
D.B. 517, P
P.B. "R", I
D.B. 485, P

John A.
D.B. 515
D.B. 484
P.B. "R"
P.B. "T"

