



Construction Authorization

Franklin County Health Department
107 Industrial Drive
Louisburg, NC 27549
Phone:

For Office Use Only

*CDP File Number: 479278 - 1
County ID Number:
Evaluated For: NEW

PERMIT VALID UNTIL: 09/09/2031

☐ Open Pump System Sheet

Applicant: Gregory Ayscue
Address: 90 Beechwood Road
City: Franklinton
State/Zip: NC 27525
Phone #: home: (252) 432-0453

Property Owner: Gregory Ayscue
Address: 90 Beechwood Road
City: Franklinton
State/Zip: NC 27525
Phone #: home: (252) 432-0453

Address/Road #: 92 Beechwood Road
Franklinton, NC 27525

Property Location & Site Information

Subdivision: Ayscue TR Phase: NEW Lot:

Structure: SINGLE FAMILY

Directions:

92 Beechwood Road Franklinton NC 27525

of Bedrooms: 4

of People: 8

*Water Supply:

Revised

System Specifications

Usable Soil Depth: 42

Design Flow: 480

Soil Application Rate: 0.3000

Minimum Trench Depth: inches

Maximum Trench Depth: 30 inches

Minimum Soil Cover: inches

Maximum Soil Cover: inches

*System Classification/Description:

Type IIlg - Other Non-Conventional Systems

*Proposed System:

25% REDUCTION

*Distribution Type: GRAVITY - SERIAL

Nitrification Field: Sq. ft.

No. Drain Lines: 5

Total Trench Length: 400 ft.

Trench Spacing: 9 - inches

Trench Width: 3 - feet

Aggregate Depth: inches

Septic Tank: 1,000 Gallons

Pump Required: ☐ Yes ☒ No ☐ May Be Required

Pump Tank: Gallons

Grease Trap: Gallons

Septic Tank Installer

Grade Level Required: ☐ I ☐ II ☐ III ☐ IV

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements.

*Permit Conditions:

Place septic tank on opposite side as driveway if possible. Driveway was not on site map.

The Authorization for Wastewater System Construction shall be valid for a period equal to the period of validity of the Improvement Permit and may be issued at the same time the Improvement Permit issued (NCGS 130A-336(b)). If the installation has not been completed during the period of validity of the Construction Permit, the information submitted in the application for a permit or Construction Authorization shall become invalid, and may be suspended or revoked (.0204(k)(1)). The person owning or controlling the system shall be responsible for assuring compliance with the laws, rules, and permit conditions regarding system location, installation, operation, maintenance, monitoring, reporting and repair (per rule .0301(a)).

Authorized State Agent: Jones, Lori

Date of Issue: 09/14/2026

☒ Hand Drawing

☐ Import Drawing

Site Plan/Drawing attached.

Total Time: (HH:MM)