Introduction,

General Information,

And Design Guidelines

For

INSIDE WADE HOMEOWNERS ASSOCIATION

Architectural Control Table of Contents

	Section-Page
Introduction and General Information	
Introduction	1.01-4
Architectural Committee	1.02-6
Enforcement	1.03-10
Disclaimer	1.04-15
Guideline Summary	
Types of Changes Which Require Submittal	1.10-16
Specific Changes Which Do Not Require Submittal	1.10-17
Specific Changes/Items Which are Prohibited	1.10-17
Procedure for Requesting Architectural Approval	
Application Instructions	2.01-19
Architectural Committee Application Request Form	2.02-21
The Appeal Process	2.03-22
Architectural Standards	
Birdbaths, Bird feeders, Bird-houses and Fountains	3.01-25
Building Addition or Exterior Architectural (incl. doors, gutters)	3.02-26
Decks	3.03-28
Drainage	3.04-30
Exterior Freestanding Detached Structure (incl. pet houses)	3.05-31
Fences	3.06-33
Flags	3.07-35
Garbage Can Containment, Screens and Other Enclosures	3.08-36
Landscaping	3.10-38
Lighting (Exterior)	3.11-42
Mailboxes	3.12-44
Maintenance	3.13-45
Painting (Exterior)	3.14-46
Parking	3.15-47
Parking Pads & Driveway	3.16-48
Pets	3.17-49
Playground and Recreational Equipment	3.18-50
Playhouses	3.19-52
Rain Barrels	3.20-53
Retaining Walls	3.21-54
Roofing, Roof Accessories & Equipment	3.22-55
Satellite Dishes and Antennas	3.23-56
Setbacks & Yards	3.24-61
Siding	3.25-62
Signs	3.26-63
Solar Panels	3.27-64

Architectural Control Table of Contents

Statues	3.28-65
Walkways and Patios	3.29-66
Woodpiles, etc.	3.30-67
Yard Sales	3.31-68
Construction Guidelines	4.00-69
Limitation of Liability	5.00-70
Architectural Request Forms	6.00-71

Introduction

A. Purpose of Design Guidelines

The Design Guidelines ("Design Guidelines") for Inside Wade provide an overall framework and comprehensive set of standards and procedures for the development of the Community in an orderly and cohesive manner. These standards have been developed to assist in the landscaping and Architectural of Units within Inside Wade; these standards do not cover the initial construction of Units within Inside Wade. The standards set forth criteria for design, style, materials, colors and location of site improvements, landscaping, signage and lighting. In addition, the Design Guidelines establish a process for review of proposed Architectural to Units to ensure that all sites within the Community are developed and maintained with the consistency and quality that attracted you to Inside Wade in the first place.

B. Governmental Permits

To the extent that Wake County ordinances or any local government ordinance, building code or regulation requires a more restrictive standard than the standards set forth in these Design Guidelines or the Declaration of Covenants, Conditions, and Restrictions for Inside Wade (the "Declaration"), the local government standards shall prevail. To the extent that any local government standard is less restrictive, the Declaration and the Design Guidelines (in that order) shall prevail.

C. Preparer

These initial Design Guidelines have been prepared by Lennar Carolinas, LLC, (the "Declarant") and adopted by the Declarant pursuant to the Declaration. The Design Guidelines may be changed and amended to serve the needs of an evolving community pursuant to the procedures set forth in the Declaration.

D. Applicability of Design Review

Unless otherwise specifically stated in Article XIV of the Declaration or these Design Guidelines, all plans and materials for major landscaping or exterior Architectural of improvements on a Unit must be approved before any construction activity begins. Unless otherwise specifically stated in these Design Guidelines, no structure may be erected upon any Unit (other than the original residence initially constructed upon such Unit), and no improvements (including staking, clearing, excavation, grading and other site work, exterior alteration of existing improvements) shall take place without receiving the prior written approval of the Architectural Committee (the "AC") as described below. Where these Design Guidelines specifically allow an Owner to proceed without advance approval, such allowance shall only be effective so long as the Owner complies with the requirements of the stated guideline.

Owners are responsible for ensuring compliance with all standards and procedures within these Design Guidelines. Owners are also governed by the requirements and restrictions set forth in the Declaration and any applicable Supplemental Declaration. In particular, Owners should review and become familiar with the Use Restrictions applicable to Inside Wade set forth in the Declaration, which address restricted and prohibited activities and conditions within the Community.

These Design Guidelines shall not apply to the activities of the Declarant, or to improvements to the Common Area by or on behalf of the Inside Wade Homeowner's Association, Inc. ("Association").

Review Structure

The powers of the AC will remain with the Declarant until such time as the Declarant has transferred control of the HOA to the homeowners. The powers of Architectural control can be through the Architectural Committee (the "AC"), who's members shall be appointed by the Board of Directors of the Association ("Board" or "BOD").

The AC has exclusive jurisdiction over all matters relating to Architectural to existing structures and landscaping, as set forth in Article XIV of the Declaration. The AC shall review plans and specifications for all Architectural and landscaping on any Unit, shall be the conclusive interpreter of these Design Guidelines, shall monitor the effectiveness of these Design Guidelines, and may promulgate additional design standards and review procedures consistent with these Design Guidelines.

Architectural Committee

DESIGN REVIEW PROCEDURES

Review of Architectural

The review of Architectural shall require the submission of an application to the Property Management Company who will forward the application to the AC for review. Depending on the scope of the Architectural application, the AC may require the submission of all or some of the plans and specifications listed below. In the alternative, the AC may require a less detailed description of the proposed Architectural.

Plans to be Reviewed

The AC will require one set of any of the following plans for Architectural, if applicable to the proposed Architectural, in addition to the submission of an application and possible pictures.

Survey Map

An official survey map of the property, showing the property lines and the exact placement of the dwelling. This is a requirement for almost all types of applications (one exception would be painting requests)

Floor Plan

Showing decks, patios, stoops, retaining walls related to the residential dwelling, trash enclosures, HVAC equipment and utilities, and the screening for same, interior spacing of rooms, and connections to driveways and walkways.

Elevations

Front, rear and side exterior elevations showing building materials and finishes, and indicating the maximum height of the residential dwelling.

Roof Plan

Showing slopes, pitches and gables, unless reflected in the other plans.

Exterior Finishes

Showing the exterior color scheme (including manufacturer, paint number, samples and color chips, if applicable), lighting scheme and other details affecting the exterior appearance of the proposed improvements.

Landscaping Plan
Showing location of trees, protection of existing vegetation, use of plants, and other landscaping details.

Other
Such other information, data, and drawings as may be reasonably requested, including, without limitation, irrigation systems, drainage, lighting, satellite dish placement, landscaping, and other features.

Review Criteria; Recommendations Variances

While the Design Guidelines are intended to provide a framework for Architectural changes, the Design Guidelines are not all-inclusive. In its review process, the AC may consider the quality of workmanship and design, harmony of external design with existing structures, and location in relation to surrounding structures, topography, and finish grade elevation, among other things. The decisions of the AC may be based on purely aesthetic considerations; provided, the AC shall not grant approval for a proposed Architectural application that is inconsistent with the Design Guidelines unless the AC grants a variance. Each Owner acknowledges that opinions on aesthetic matters are subjective and may vary as members of the AC change.

The AC shall have the authority from time to time to adopt and revise lists of recommended landscape materials. The AC may, in its sole discretion, provide that the lists of recommended materials constitute "approved materials" and that the installation of such materials requires no approval. Alternatively, the AC may provide that the purpose of the list(s) is merely to provide guidance and that installation of recommended materials does not relieve the Applicant from any obligations set forth in these Design Guidelines to acquire approval prior to installation.

Variances may be granted in some circumstances (including, but not limited to, topography, natural obstructions, hardship, or environmental considerations) when deviations may be necessary. The AC shall have the power to grant a variance from strict compliance in such circumstances, so long as the variance does not result in a material violation of the Declaration (Covenants). No variance shall be effective unless in writing, signed by the liaison of the AC with the support of a majority of the members of the AC.

Review Period

Each application and plan submittal shall be approved or disapproved within 30 days of receipt of all materials required by the AC. The plans, if requested by the applicant, shall be returned to the Applicant, accompanied by the AC's decision. Two copies of the plans shall be retained for the Management Company's and the AC's records. The AC's decision shall be rendered to the homeowner by the Property Management Company in writing using an architectural control response form:

Approved – The entire application as submitted is approved.

Conditionally Approved – The application is not approved as submitted, but the AC's suggestions for curing objectionable features or segments are noted. The Applicant must correct the plan's objectionable features of segments, and the Applicant may be required to resubmit the application and receive approval prior to commencing the construction or alteration.

Disapproved – The entire application as submitted is rejected in total. The AC will provide comments regarding its decision.

If the AC fails to respond within 60 days from receipt of completed application (receipt shall be defined as the date stamped on the application upon receipt), application shall be deemed approved. The AC makes every effort to approve all applications within 30 days of receipt but it is the homeowner's responsibility to follow up with Property Management Company and check on the status of their application. All Architectural must be consistent with the Declaration or the Design Guidelines, unless the AC has granted a written variance.

As a condition of approval under this Section, each Owner and all successors-in-interest shall assume all responsibilities for maintenance, repair, replacement, and insurance to and on any change, Architectural, addition, or alteration. The AC may require an Owner to acknowledge such responsibilities in a recordable written instrument.

Appeal

Any Applicant shall have the right to appeal a decision of the AC by resubmitting the information, documents set forth above; however, such appeal shall be considered only if the Applicant has altered the plans for Architectural or has new information which would, in the AC opinion, warrant reconsideration. If Applicant fails to appeal a decision of the AC to the Board of Directors, the AC decision is final. In the case of a disapproval and resubmittal, the AC shall have 15 days from the date of each resubmittal to approve or disapprove any resubmittal. The filing of an appeal does not extend any maximum time period for the completion of any Architectural. See Section 2.03 for further information regarding the appeal process.

Wake County Approval

The review and approval of plans and specifications shall not be a substitute for compliance with the permitting and approval requirements of County or other governmental authorities. It is the responsibility of Applicant to obtain all necessary permits and approvals.

Implementation of Approved Plans.

All work must conform to approved plans. If it is determined by the AC that work completed or in progress on any Unit is not in compliance with these Design Guidelines or any approval issued by the AC, the AC shall, directly or through the Board of Directors, notify the Owner in writing of such noncompliance specifying in reasonable detail the particulars of noncompliance and shall require the Owner to remedy the same. If the Owner fails to remedy such noncompliance or fails to commence and continue diligently toward achieving compliance within the time period state in the notice, then such noncompliance shall be deemed to be in violation of the Declaration and these Design Guidelines.

Time to Commence

If construction does not commence on an Architectural for which plans have been approved within 3 months of such approval, such approval shall be deemed withdrawn, and it shall be necessary for the Applicant to resubmit the plans to the AC for reconsideration. The Applicant may request an extension of the commencement time period not less than three days prior to the expiration of that time period, which the AC may approve or disapprove, in its sole discretion.

Time to Complete

The AC shall include in any approval a maximum time period for the completion of any Architectural. If no maximum time period is specified in the approval, the Architectural shall be completed within 6 months of its commencement. The Applicant may request an extension of such maximum time period not less than three days prior to the expiration of the maximum time period, which the AC may approve or disapprove, in its sole discretion.

Changes After Approval

All proposed changes to plans, including changes that affect the exterior of any building, colors, windows, grading, paving, utilities, landscaping or signage, made after the approval of plans must be submitted to and approved in writing by the AC prior to implementation. Close cooperation and coordination between the Applicant and the AC will ensure that changes are approved in 15 days.

If Wake County or any other authority having jurisdiction requires that changes be made to final Architectural plans previously approved by the AC, the Applicant must notify the Property Management Company of such changes/requirements and receive approval from the AC prior to implementing such changes.

Enforcement

Enforcement/Waiver

In the event of any violation of these Design Guidelines, the Declarant or the Board may take any action set forth in the By-Laws or the Declaration, including levying a Specific Assessment pursuant to the Declaration. The Declarant or the Board may remove or remedy the violation and/or seek injunctive relief requiring the removal or the remedying of the violation. In addition, the Declarant or the Board shall be entitled to recover the costs incurred in enforcing compliance and/or impose a fine against the Unit upon which such violation exists.

When there is a documented violation on any property in the Inside Wade community, no further architectural requests can be submitted to or processed by the AC, unless all previous violations have been corrected for that property.

Approval of plans for any proposed Architectural shall not be deemed to constitute a waiver of the right to withhold approval as to any similar proposals subsequently submitted for approval.

1. Management Company

a. The Management Company, under contract to the Inside Wade Homeowner's Association, shall be responsible for conducting field inspections of Inside Wade to identify problem areas and violations. Inspection reports consisting of all sections shall be included in Board packets for all members of the Board of Directors. Inspections identifying areas requiring immediate action shall either be acted upon immediately by the inspector, reported to the Community Manager for appropriate action, or the appropriate liaison notified as soon as possible.

b. The Management Company shall receive complaints from any source regarding problem area and violations requiring possible enforcement action in Inside Wade. The Management Company shall document all complaints received and forward them to the appropriate person(s) for action or act upon them depending upon the nature of the complaint.

c. The Management Company shall perform those functions related to enforcement action as directed by the Board.

d. The Management Company shall keep appropriate committee liaisons informed and keep the Board informed through the President or other designated person(s), and by other appropriate means, of enforcement actions taken and of potential problem areas where enforcement may become necessary.

The Enforcement Process:

1. Identification and Investigation of Violations:

a. For architectural violations, the AC and the Management Company are primarily responsible for identification of violations and investigation to determine if an architectural violation has occurred.

2. Enforcement Action:

a. Architectural Control Violations

1) For enforcement action involving Architectural Control Violations, the Management Company is primarily responsible for initial enforcement action regarding minor architectural or landscaping changes without AC approval and architectural or landscaping changes begun or completed after application for AC approval but before actual approval.

2) For enforcement action involving major architectural or landscaping changes without AC approval and architectural or landscaping not consistent with AC approval, the Management Company is primarily responsible for initial enforcement action as approved by the AC.

Architectural Control Enforcement

- **The AC has authority under the covenants to:**

a. Enter and inspect any property for the purpose of determination by the AC whether there exists any construction of any improvement, which violates the term of any approval of the AC or the terms of the Covenants. This power shall be exercised in a reasonable manner and nonconsensual entries shall not be made without express approval of the Board of Directors.

b. Enforce architectural standards.

c. In its discretion, release existing improvements from restrictions or encroachments they violate in appropriate circumstances.

d. In its discretion, grant waivers for minor deviations and infractions if appropriate.

- **The Architectural Enforcement Process:**

a. The AC shall maintain close liaison with the Management Company to identify violations and to process complaints in a timely manner. Field inspection reports, related to architectural violations, are reported to The Board of Directors by the Management Company in their monthly report. The AC shall also initiate proactive measures to identify violations and report them to the Management Company.

b. All complaints received by the Management Company alleging architectural violations shall be investigated on a property inspection; the President of the Board of Directors may also be contacted.

c. All complaints received by members of the AC alleging architectural violations shall be reported to the Management Company.

d. All complaints received by members of the Board of Directors alleging architectural violations shall be reported to the Management Company.

e. Upon receipt of information concerning potential or alleged architectural violations, the AC shall determine the nature of the violation within the following categories:

1) Architectural or landscaping changes without AC approval.

2) Architectural or landscaping changes not consistent with AC approval.

3) Architectural or landscaping changes begun or completed after application for AC approval but prior to actual approval.

f. The AC may investigate alleged violations or may request the Management Company to conduct such investigations. In appropriate cases, professional technical assistance, such as engineers, may be used if approved by the Board of Directors in advance. The President of the Board of Directors shall be notified of the initiation of such an investigation as soon as possible. The different categories of violation shall require different investigative responses.

1) **Major architectural or landscaping changes without AC approval** such as construction of a deck, fence, parking pad or other structure; cutting a substantial number of trees; filling large areas; or similar major changes shall require a formal, comprehensive investigation with full documentation in their files relevant to the allegations or verify that no request was submitted. The Management Company, the AC, or both, shall make visual observations of the alleged violation to the extent possible. Photographs should be taken if feasible. Interviews of the owners involved may be conducted if appropriate in the circumstances, but at least two members of the AC or Board of Directors or Management Company should be present and no promises should be made during the interview. Other investigative actions may be taken as appropriate. In cases of **Minor architectural or landscaping changes without AC approval**, the AC shall investigate or refer these cases to the Management Company for investigation, at their discretion.

2) **Architectural or landscaping changes not consistent with AC approval.** In these cases, the Management Company shall compile a packet for the AC or Board of Directors of all architectural requests and other documentation in their files relevant to the alleged violation and forward it to the liaison of the AC or Board of Directors. The AC or Board of Directors shall conduct an investigation or ask the Management

Company to conduct such an investigation to verify that the improvements were actually not consistent with the AC approval.

3) **Architectural or landscaping changes begun or completed after application for approval but prior to actual approval.** The AC shall investigate or cause the Management Company to investigate these allegations as quickly as feasible if the work is still in progress. If the work has been completed, the investigation shall proceed as determined by the AC.

g. **Notice:**

1) The Management Company will mail one notice to any owner in violation, noting the violation and requesting compliance by a certain date to avoid penalties. In the case of work in progress, a letter shall be sent by the Management Company within 1-3 business days informing the appropriate persons to cease the work immediately, explaining the violation and, in addition, giving the violator a set but reasonable amount of time to correct the violation.

2) A site inspection will be performed after the date outlined in the notice. If the violation has been corrected, the matter will be closed. A remaining violation will result in further compliance actions. Normally only one notice would be provided, but the AC, with Board approval may extend the grace period based on individual circumstances or issue subsequent notices if necessary.

h. **Enforcement options** shall include the following:

1) If the corrective action demanded by the notice is taken within the specified time and completed in a satisfactory manner, no further enforcement options will normally be appropriate.

2) If work is not ceased upon demand, corrective action demanded is not taken within the specified time, or the corrective action taken is not satisfactory, the following actions may be appropriate:

- Place a hold on all other pending architectural request submitted by the homeowner
- Impose fines in Accordance with the North Carolina Planned Community Act.
- With approval of the Board of Directors, seek a temporary restraining order or injunction to stop any continuing work.
- Require further corrective action.
- Demand that unapproved architectural or landscaping changes be removed within a specified, but reasonable, period of time and impose fines if not accomplished by the applicable deadline.

- With the approval of the Board of Directors, hire appropriate contractors to correct the situation and charge the property owner, beyond any fines, for the cost of such corrective action.
- After notice and opportunity to be heard by the Board, suspend a member's voting rights and/or rights to use Association facilities for noncompliance with published rules and regulations of the Association.
- Other corrective actions that may be appropriate in the particular situation.

Disclaimer

The Association, Declarant, AC, or any officer, employee, agent, director or member thereof shall not be liable for damages to any persons submitting plans and specifications for approval by reason of mistake in judgment, negligence or nonfeasance arising out of or in connection with the approval, disapproval or failure to approve any plans and specifications. ***Every person who submits plans and specifications for approval agrees, by submission of such plans and specifications, that it will not bring any action or suit against the Association, Declarant, or AC to recover any such damages.***

The purpose of the Architectural Standards is to provide guidance in preparing requests for architectural approval and set forth some of the standards applied by the AC. **These Architectural Standards are not all-inclusive and no inference should be made that the failure to include a particular type of exterior or landscaping change somehow exempts that change from the approval process.**

If any paragraph, section, sentence, clause or phrase of these Standards shall be or become illegal, null or void for any reason or shall be held by any court of competent jurisdiction to be illegal, null or void, the remaining paragraphs, sections, clauses, and phrases are severable and shall continue to be in full force and effect. In case of any conflict between the Declaration of Master Covenants, Conditions and Restrictions for Inside Wade, the By-Laws of the Inside Wade Homeowner's Association, Inc. and these Standards, and other resolutions or rules adopted by the Board of Directors, the covenants shall prevail and thereafter, the Board shall determine which shall control and make corrections as needed by a majority vote.

These Standards supersede all previous guidelines or standards, and shall remain in effect until otherwise rescinded, amended, modified, or repealed by a majority of the Board of Directors.

Architectural Control Section 1.10

Guideline Summary

It is the interpretation of the Inside Wade Homeowners Association that the provisions of these Guidelines apply to a wide variety of aesthetic considerations in the community. Every attempt has been made to include those considerations which have the potential to impact property values.

The following are examples of the types of changes, additions or deletions that would either:
1. **REQUIRE** submittal of an *"Architectural Request Form"*.
2. **NOT** require a submittal, or
3. Are **PROHIBITED**

While every effort has been made to identify all aspects of change, the owner who has doubt if his/her situation is adequately addressed should contact the AC for guidance.

Throughout this document the term *"changes"* shall include additions and deletions.

A. Types of changes which **REQUIRE** submittal/approval:

1. Changes to the exterior of the home, such as:
   a. Addition of:
      i. Awnings
      ii. Decorative lighting
      iii. Porches
      iv. New living space/room additions **(please note: Garage conversions are prohibited)**
   b. Appearance, such as:
      i. Color
      ii. Materials (such as siding)
2. Other exterior changes, such as:
   - Outdoor Buildings
   - Decks and patios
   - Driveway extensions and parking pads
   - Enclosures
   - Fences and privacy screens
   - Major landscaping, including retaining walls
   - Mailboxes
   - Parking
   - Play sets, swing sets, etc.
   - Other recreation or sport equipment (e.g., trampolines, basketball goals, etc.)
   - Structures
   - Live tree removal

B. Specific changes which **DO NOT** require a submittal (Please note that when the set specifications are not met, an application may be required. Please review each relevant section carefully):

- Bird baths, fountains, bird feeders and bird houses **(see specifications, Section 3.01)**
- Minor landscaping **(see specifications, Section 3.10))**
- Non-permanent children's play equipment (excluding trampolines)
- Periodic repainting and re-staining with the existing color for maintenance
- Portable pools usable only by small children
- Removal of dead trees
- Small, discretely located, garden plots
- Small statues in the rear yard **(see specifications, Section 3.25)**
- Decorative/seasonal flags **(see specifications, Section 3.08)**

C. Special changes/items which are **PROHIBITED**:

- Animals other than household pets
- Chain-link, vinyl, wire fences
- Commercial advertising signs
- Hot tubs, Saunas, Swimming pools
- Encroachment on other property
- Metal storage sheds or metal swing sets
- Parking of vehicles or trailers on soft surfaces, such as grass
- Permanent clotheslines
- Pools, above ground (except portable pools usable only by small children)
- Unclean, unsightly, unkempt, unhealthy or unsafe conditions which tend substantially to decrease beauty or safety
- Converting garages to living space
- Vinyl mailboxes and posts

Procedure

For Requesting

Architectural Approval

Application Instructions

ARCHITECTURAL CONTROL APPLICATION INSTRUCTIONS

STEP 1. ***Prior to any alteration, addition or improvement,*** the property owner (not contractors or other parties) either requests the *Architectural Request Form* by phone or by mail from the Management Company or photocopies the form from this booklet. As an alternative, an up to date version of the form can be obtained from the Inside Wade website: www.realmanage.com through the Resident Portal or by calling 866-473-2573

STEP 2. If requested from the Management Company, the Management Company will promptly forward the *Architectural Request Form* to the property owner.

STEP 3. ***Prior to any alteration, addition or improvement,*** the property owner completes the application form and provides applicable information as requested on the application form. Reference should be made to the Architectural Control Standards for specific information needed for the proposed improvement, addition or alteration. All parts of the form shall be filled out and all pertinent information shall be included in the submittal. Incomplete applications shall be returned for additional information.

STEP 4. The property owner sends the completed form, along with any attachments or supporting documents required by the Architectural Control Standards to the Management Company for processing. **Applications must be emailed or faxed (refer to Section 2.04 for the Management Company's address and telephone/fax numbers).** Applications left elsewhere (e.g. with a member of the AC, with a member of the Board of Directors, or with any other officer of the Association) will not be processed.

STEP 5. The Management Company will check for completeness and if complete the application will be marked with the date it is received in the office. The Management Company will then copy or electronically scan and distribute the dated application to the AC for processing.

Note: The Management Company may elect to send the electronic or faxed copy of the form to a member of the AC for completeness review (such as the chairperson of the AC). In that case, if the submitted form is deemed acceptable, it will be immediately forwarded by the AC representative to the rest of the AC members for review. Otherwise, the Management Company will be notified and a list of the deficiencies will be provided.

STEP 6. **Complete Applications: Complete applications received by the Management Company will be considered and acted upon by the AC normally within 30 days. Note:** An application may be received only on a regular business day.

Incomplete Applications: Applications that are submitted without all necessary attachments and supporting documents or with insufficient information shall be deemed administratively denied and returned to the applicant with a request for the missing documentation. Unless the architectural change is painting the house a different color, an official survey map is required with almost all applications. In addition, all supporting information regarding placement, dimensions, colors, materials, construction details, elevation info, etc. must be included, as necessary. Any calculation of time concerning the processing of an application will not start to run until the application and supporting documentation are complete. At that point, the Management Company will mark the application with a new (resubmission) date, copy or electronically scan and distribute the dated application to the AC for processing.

STEP 7. Committee members will review complete applications at a scheduled AC meeting or just communicate via email and approve or disapprove the application within thirty (30) days from receipt of the application by the AC. The AC may: (a) determine that an application is incomplete and request additional information, (b) approve the application, (c) conditionally approve the application, stating the conditions in writing, or (d) deny the application, stating the reasons for the denial in writing.

STEP 8. Upon its receipt of the Committee's decision on an application, the Management Company will mark the decision with the date that the decision is forwarded to the property owner and will then forward a copy of the decision to the homeowner. In the case of approval, the homeowner can begin the project immediately, as long as an approval has been received in writing. In the case of an administrative denial for insufficient information, the required information shall be listed on an appropriate form and provided to the homeowner. (Note: Any calculation of time concerning the processing of an application will not start to run until the application is complete.) In the case of approval with conditions, the conditions shall be listed on an appropriate form and provided to the homeowner and the homeowner may begin the project as long as the stated conditions are satisfied. In the case of "Disapproval" the reasons and/or requirements will be noted on the application. A property owner who is not satisfied with the Committee's decision on an application may (a) submit another different application (should the property owner want to resubmit another application, the thirty (30) day process starts again with each submittal) or (b) appeal the Committee's decision to the Board of Directors (Section 2.03).

Architectural Committee
Architectural Request Form

See Attached Pages

The Appeal Process

A homeowner has a right to appeal a decision by the Architectural Committee (AC) to the Board of Directors (BOD). The BOD will interpret the covenants and bylaws in a judicial manner as they pertain to the Architectural application, the AC's ruling, and any other evidence or testimony. The homeowner must present a written statement, along with relevant evidence. During the appeal hearing, expert testimony may be heard by the BOD and the BOD has the ability to ask questions of the homeowner at this time. After reviewing statements and evidence, and hearing testimony, the BOD will confer and rule in private.

A. Notice of Denial:

Upon receipt from the AC of a final decision denying the homeowner's request, the Property Management Company shall forward the applicant a notice of denial of their request. The notice shall provide the applicant thirty (30) days to file an appeal of a final AC decision in writing to the Management Company. Administrative denials pending more information or for other reasons are not final decisions and are not appealable. Administrative denials are reconsidered by the AC and not the BOD. Once a final decision has been reached, then the time for appeal begins to run.

B. Homeowner: Notice of Appeal to the BOD

When a decision of the AC is appealed, the homeowner must submit the following to the Property Management Company:

1) A letter stating a summary of the application and justification for the appeal.
2) All supporting information.
3) If all their neighbors' signatures were not obtained before the application was submitted to the AC, the homeowner is now obligated to do so, in order to prove that none of their neighbors are against it. If a neighbor refuses to sign the application, the homeowner can still submit their appeal to the BOD; however, they must disclose the name(s) of the neighbor(s) that refused to sign, so that the Board can discuss the appeal with them and avoid possible future hostility.

Note: If any information is withheld by the homeowner during the architectural application or appeal process, it will be grounds for dismissal and will be given no additional opportunity for consideration.

C. Transmittal to the BOD

Upon receipt of the appeal by the Property Management Company, the original Notice of Appeal and all supporting paperwork shall be filed and copies will be sent to the Board of Directors and the Liaison of the AC. A copy of the Architectural Request, originally submitted by the homeowner must also be distributed to the above referenced members.

D. Appeal Process/Hearing

The board has the following duties:

1) Ensure the Architectural appeal is the same as the one presented to the AC.
2) Review all information.

3) Schedule a hearing on the appeal, normally in conjunction with a normal Board Meeting after all supporting information has been reviewed and within sixty (60) days of receipt of the Notice of Appeal. The homeowner should then be notified of the hearing date and time by the Property Management Company, so that they can be given the opportunity to appear in person and defend their application.
4) The AC Liaison (or appointed substitute) should be present during the BOD meeting. In the absence of the homeowner, the AC Liaison will first present to the Board the reasons the application was not approved and clearly define the problems, based on all available information.
5) If present, the homeowner will then defend their application in front the BOD. The AC Representative may be present during this time, but they are not allowed to participate in any of the conversations.

After conclusion of the meeting with the homeowner, the BOD should discuss their thoughts and any possible issues with the AC Representative, in the absence of the homeowner. If the BOD members do not have the necessary expertise to come to a decision, an outside (unbiased) expert on the subject must be consulted to assist them in their decision. If any neighboring properties are affected by the Architectural in question, all neighbors must be contacted, informed of the situation, and asked for their input, especially if they did not sign the original architectural request.

E. Decision of the BOD

No decision shall be rendered at the hearing. The BOD shall report their decision within fifteen (15) days of the hearing, based on a majority vote, in writing.
The BOD will provide a ruling, as listed below:

- Approve (overturn AC's decision)
- Disapprove (uphold the AC's decision)
- Request that the application be resubmitted to the AC with changes and/or more information.

A clear justification for the final decision must be provided. The Property Management Company shall forward copies of the Board's decision and justification to the applicant and the Liaison of the AC.

F. Conclusion of Appeal:

The AC has the following duties:

1) Submit debated issues, and relevant rule interpretations in written form to the BOD.
2) Upon return of an application to the homeowner by the BOD, if the appeal was turned down, the AC should, if necessary:
   - Help the applicant during the implementation process, or
   - Help the applicant amend the application to conform to the covenants/bylaws for resubmission to the AC.

The Applicant has the following duties:

1) Must submit a complete application.
2) Operate in good faith to adhere to the covenants and bylaws.
3) Build or modify property according to the outcome of the appeal.
4) Offer truthful disclosure of all issues regarding their application.

Architectural

Standards

Bird Baths, Birdhouses, Birdfeeders, and Fountains

Appearance: All bird baths, birdhouses, birdfeeders and fountains will be reviewed on an individual basis. Generally, the AC will review materials, colors, location, scale and other details to determine compliance with the architectural intent of the existing structure and the relationship of the proposed one.

Location: All bird baths, birdhouses, birdfeeders and fountains shall be located in the rear of the house. They must be placed in a reasonable location where they blend in with their surroundings. Birdhouses and birdfeeders shall not be mounted or displayed on fences or other areas that are adjacent to other properties or the street (e.g. corner lots).

Requirements: ***Please be mindful of your neighbors. Birdhouses and bird feeders do not need to be approved by the AC, but must be placed in the rear of property. A maximum number of three birdfeeders and three birdhouses is allowed. In addition, bird baths and fountains only need to be approved by the AC if they are installed in corner lots (where the backyard is facing the street) and/or exceed four feet in height and/or three feet in diameter. Homeowners are expected to display all items in good harmony with our community. The Homeowners' Association reserves the right to request removal and/or submission of an application for a number of birdhouses, birdbaths, bird feeders or fountains that exceed or do not meet the above listed criteria.***

Building Addition or Exterior Architectural

(Examples of additions include screened porches, sunrooms, new living space or storage areas that are physically attached to the main structure of the existing house. Examples of exterior Architectural include the addition of storm doors, gutters or similar Architectural.)

Appearance:

All building additions and/or Architectural will be reviewed on an individual basis. Generally, the AC will review materials, colors, location, scale and other details of the proposed addition or Architectural to determine compliance with the architectural intent of the existing structure and the relationship of the proposed neighborhood with specific emphasis given to the maintenance of a cohesive neighborhood architectural style that maintain the scale, detailing, materials, massing, color(s) and design intent of the original structure.

Location:

In general, with the exception of building Architectural, the location for building additions will be governed by the maximum building area that is defined by the City of Raleigh in respect to the minimum setback requirements from the property line. However, the AC reserves the right to reject applications, which may meet the City of Raleigh setback requirements but fail to meet the objectives of the AC. The ARC will review each application on an individual basis and approvals will be granted on this basis. Prior approval of an application does not guarantee subsequent approval on the same or another property.

Materials:

Materials for use on any building addition or Architectural must meet or exceed the quality of and be consistent with the materials used in construction of the original structure. Compliance with the ***current*** edition of the City of Raleigh building codes will be considered meeting the ***minimum*** standards of construction. The AC reserves the right to require homeowners to ***exceed*** these standards if it is deemed necessary to maintain the architectural intent of the original structure. In general, the AC seeks to maintain the quality of materials and workmanship present in the original structure.

Requirements:

All building additions and Architectural shall maintain proper drainage on the site. If a building addition is planned or an Architectural, which will affect drainage, homeowners are required to provide a plan that details drainage patterns and runoff as a result of the addition/Architectural.

The changes specified below do not require approval if accomplished in accordance with the standards provided:

1. **Storm doors:** Properly installed storm doors that are full height glass without cross members, white in color with narrow stiles. Color must match trim or door color.

2. **Gutters:** When properly installed, white, pre-finished, or color consistent with the house trim, aluminum gutters do not require approval. Other colors or materials require submission of an architectural request for approval. In addition, if the gutters cause a change in normal runoff patterns and quantities sufficient to impact the drainage on adjacent properties, submission of an architectural request for approval is required.

3. No structure for the care, housing or confinement of any animal shall be constructed, placed or altered on any Unit unless plans and specifications for said property have been approved by the AC. No stable, poultry house, rabbit hut or other similar yard structure, with the exception of a doghouse, shall be constructed or allowed to remain on any Unit. No installation, construction or maintenance of other pet houses or pet runs shall be made.

Note: Homeowners are required to discuss with their neighbors any proposed additions to the property. A survey map of the property, complete plans (design, materials, colors, etc.) and neighbors' signatures (in view of the change) must be included with any architectural request. The AC reserves the right to interview the affected neighbors regarding the proposed addition.

*******Note: Converting garages into living space is prohibited*******

Architectural Control Section 3.03

Decks

Appearance:

Decks must remain natural in finish color. Natural colored, translucent stains may be used; however, no painting or solid-bodied staining of the wood will be permitted. Deck height is not restricted but is recommended to be no more than 15' in height from the ground. The size and styling of decks must complement the dwelling and be in proportion to the dwelling.

Location:

All decking must be confined to the rear of the dwelling and must not protrude past the sides of the building. However, when there is a patio on the side of the building (facing the side and not the back of the property), a deck may be allowed to be built and even wrap around the back side of the house (L-shaped structure). Size and deck appearance (see above) will be significant factors for the Architectural Committee to make such an exception. Decks must be within the minimum setback requirements of the City of Raleigh, however, final placement and approval will be determined by the AC and may be more restrictive than the City setback requirements.

Materials:

The deck shall be constructed of #2 or better pressure-treated lumber with galvanized hardware. A clear water seal is recommended but not a requirement for approval. However, it is recommended to use clear water seal or natural stain for deck maintenance. With approval from the Architectural Committee, exceptions to deck painting or stain color can be made on a case by case basis. In addition to wood, other materials, such as composite decking may be considered as alternatives to wood, in which case color coordination with the rest of the house is very critical.

Requirements:

A building permit must be obtained from the City of Raleigh and all required inspections successfully completed. All decks must meet the building requirements for the City of Raleigh, in addition to this guideline. Proper drainage must be maintained around the deck and away from the foundation. The area under the deck must be properly maintained (e.g. grass). Otherwise, if the deck is low on the ground, the area under the deck must be treated with weed and grass killer and covered with landscape fabric and mulch or gravel. A lattice (wood or vinyl) may also be an option around the deck but it needs to be included with the deck application for approval. Color/material coordination with the deck and the house will be a significant factor in approving this type of screening. In addition, shrubs are expected to be planted around the deck to soften its appearance.

Note: It is a violation to use the space under the deck (with or without privacy fencing around it) as a junk storage area! The space under the deck must be clean, well organized and not visible from the street or any neighboring properties, if used for storage of outdoor items, such as garden hoses.

A survey map, deck plans (placement, materials, size, etc.), and neighbors' signatures (in view of the change) must be submitted with the architectural request.

Drainage

Requirements:

Drainage of the Unit must conform to all Wake County requirements. All drainage and grading must be indicated on the plans approved by the AC. There shall be no interference with the established drainage pattern over any property except as approved in writing by the AC, subject to such approval of the owner of the Private Amenity as is required pursuant to the Declaration. The established drainage pattern is defined as the drainage pattern as engineered and constructed by the Declarant or approved builder prior to (or in some cases, immediately following) conveyance of title from builder to the individual homeowner. Owners may make minor drainage Architectural to their Units provided that they **do not alter the established drainage pattern and water is not redirected towards neighboring properties**.

Landscape plans shall conform to the established drainage pattern, shall cause water to drain away from the foundation of the house, and shall prevent water from flowing under or ponding near or against the house foundation. Water should flow fully over walkways, sidewalks or driveways into the street. The AC may require a report from a drainage engineer as part of landscaping or improvement plan approval. Sump pump drainage should be vented a reasonable distance from the property line to allow for absorption.

All projects that cause any changes in the drainage pattern, water flow, and/or cause neighboring properties to receive water run-off require prior submission of an architectural request for approval. All neighbors' signatures (water-receiving properties), a survey map of the property, and elevation plans are a requirement for all drainage applications.

Architectural Control Section 3.05

Exterior Freestanding Detached Structure

Definition:

Examples of exterior freestanding detached structures include storage sheds, gazebos, doghouses, greenhouses, tents, etc.

Appearance:

Generally, the AC will review materials, colors, location, scale and massing of the proposed structure to determine compatibility of the proposed structure to surrounding structures and sites. The intent is to preserve the architectural character of the neighborhood with specific emphasis given to the maintenance of a cohesive neighborhood architectural style. This "style" incorporates the scale, materials, details, massing, color and design intent of the original structures. Every application will be reviewed on an individual, case-by-case basis.

Chain link outdoor dog runs or animal cages are prohibited.

Location:

All exterior freestanding detached structures will be confined to the rear yard. The location for these structures will typically be governed by the maximum building area that is defined by the City of Raleigh in respect to the minimum setback requirements from the property line. However, the AC reserves the right to reject applications, which may meet the City of Raleigh setback requirements but fail to meet the objectives of the AC. The AC will review each application on an individual basis and approvals will be granted on this basis. A prior approval of an application does not guarantee subsequent approvals on the same or other lot.

The placement of doghouses must also take into consideration safety concerns, noise minimization, the possibility of offensive odors, and not be visually offensive to neighbors and public areas. "Visually offensive" shall be judged by the AC applying a standard of reasonably objective, rather than just the subjective views of neighbors.

Materials:

Materials for use on any detached structure will meet or exceed the materials used in construction of the original structure. Compliance with the "current" edition of the City of Raleigh building codes will be considered meeting the "minimum" standards of construction. The AC reserves the right to require homeowners to **exceed** these standards if it is deemed necessary to maintain the architectural intent of the original structure. In general, the AC's

objective is to maintain the quality of materials and workmanship that are present in the original structure.

Accessory structures, such as storage sheds must be of similar architecture to the main home. If the home has hardi-plank, the structure must have hardi-plank. No vinyl siding is allowed for detached structures.
The accessory structure must be the same color as the main home, and have the same type of shingles and color. The shed must be in proportion to the house, but in no case shall exceed 120 feet in total floor space.

Applications must include details of the foundation (e.g. concrete pad) or anchors for such structures.

Requirements:

All exterior freestanding structures shall maintain proper drainage on the site. If a structure is planned, homeowners are required to provide a plan that details drainage patterns and runoff as a result of the new structure.

If electrical service will be provided to the detached structure, the application must include details of how that service will be run and must comply with all applicable electrical codes and regulations. Overhead electrical service is not permitted in Inside Wade.

The shed must be permanently affixed to the ground via a concrete slab floor or footings in the corners.

Metal or vinyl storage structures will not be approved.

All external detached freestanding structures must comply with all applicable City of Raleigh regulations, ordinances, permit requirements and inspection requirements. The City of Raleigh standards are the minimum requirement and the Inside Wade standards may be more stringent. A survey map of the property, exterior structure plans (including materials, dimensions, etc.) and its placement, as well as neighbors' signatures in view of the structure are required with each application. ***According to local city requirements, a building permit and inspection of the structure (and possible electrical work) by the City of Raleigh may also be required. It is the responsibility of the homeowner to comply with local state and federal requirements even if they have previously received approval by the INSIDE WADE Architectural Committee.***

Architectural Control Section 3.06

Fences

Appearance:

Whenever possible, alternatives to hard fencing are recommended (i.e., landscaping and plants or "invisible" electronic fencing). It is also recommended that fencing be softened through the use of landscaping on the exterior side of the fence, where possible.

Location:

Fences shall follow the natural topography of the land.

Existing trees shall not be removed to place the fence without prior approval from the Architectural Control Committee.

The fence shall be installed within one inch of the Homeowners property line and must allow neighbors to tie in to the existing fence in the future if needed.. However, fencing on corner lots will be placed respective to any sight triangles (on both public and private streets) and/or easements or right-of-ways.

The fence shall extend from the rear corners of the house in a direction toward the rear yard. The Architectural Control Committee will determine the final placement of the fence based on aesthetics and street appearance.

Materials:


In order to maintain a uniform style of fencing throughout Inside Wade, homeowners may choose either a standard black aluminum metal fence or a black aluminum metal fence with Ascot Puppy Picket. Fence height is restricted to 54".

Requirements:

For yard fences, there shall be a minimum of one walk-through gate at least 4'-0" for access.
Gates must be self-closing. All fencing must be maintained in an aesthetic and safe condition.

A survey map of the property, a drawing of the proposed fence (dimensions, placement, materials, etc.) and neighbors' signatures (adjacent to or in view of the proposed fence) are a requirement with the architectural request.

*****Chain Link Fences are not allowed.*****



Fence Style #1- Ascot Puppy Picket



Fence Style #2 – Metal Fence-Black Aluminum

Flags

Flagpoles permanently installed in the ground are prohibited.

Appearance: Decorative or seasonal flags (such as American, State, seasonal, welcome, sports or college flags) are allowed and no application is required.

- Decorative Flags – Such flags are allowed, they shall not be offensive, in any way, to individuals or specific groups.
- Seasonal/Holiday Flags – Decoration may be put in place three weeks before the season/holiday and must be removed two weeks after the holiday.

Location: A maximum of two flags, attached to the house, are allowed. Those flags must be hung from a pole, mounted on the main residential dwelling and shall not exceed the eaves of the main dwelling. In addition, a maximum of two smaller flags are allowed in other locations in the yard (such as the mailbox), as long as they are secured to the ground or any other structure.

Note: The association reserves the right to request removal of all flags that are attached to mailboxes, if they obstruct the mail carrier or interfere with the maintenance of mailboxes.

Sizes: Maximum allowed size for flags mounted on the house is 3x5 ft. All other flags must not be more than 2x3 ft. Flags that do not meet the proposed specifications must be approved by the AC. Homeowners are expected to display flags in good harmony with our community. The Homeowner's Association reserves the right to request removal and/or submission of an application for a flag that does not meet the above listed criteria.

Garbage Can Containment, Privacy Screens and Other Enclosures

Appearance:

Garbage cans and recycling bins must be stored out of public sight with the exception of trash collection. It is recommended that garbage cans and recycling bins be stored in garages. The AC will consider requests for garbage can area screens, dependent on placement and view from public. Whenever possible, alternatives to privacy screens are recommended (i.e., landscaping and plants). It is also recommended that all screens be softened through the use of landscaping on the exterior side, where possible. This is mandatory especially on corner lots, where part of the screen will be facing the road.

Location:

Privacy screens and other enclosures shall follow the natural topography of the land and match their surroundings.

Existing trees shall not be removed to place the screen/enclosure without prior approval from the AC.

Screens/enclosures shall not be placed in the front yard. The AC will determine the final placement of the enclosure based on aesthetics and screening requirements.

Screens enclosing garbage can areas should be located on the garage side of the house. However, they may not be located where the use, including, but not limited to the entry, of said area encroaches on neighboring property. Those screens should be placed as far away from the front of the house as possible.

Other enclosures, such as patio privacy screens, A/C containment screens, etc, must be no larger than the area they are supposed to contain (e.g. the size of the existing patio or existing A/C units). Patio fences that enclose part of the grass in the back yard fall into the "yard fence" category (see appropriate guideline).

Materials:

In order to maintain a uniform style throughout Inside Wade, screens/enclosures may not exceed 54" maximum height. Patio or other privacy screens of up to 5 feet maximum may be permitted, depending on their use.

Small screens and enclosures that are installed adjacent to the house must match house or painted the main color of the house or the trim. Screens and other enclosures that remain natural in color require a natural stain and/or clear water repellent for maintenance. All screens/enclosures must be maintained


in good condition (pressure-washing, painting, etc.) as needed. If a screen is installed on a wooden deck, the screen must match the deck materials (see relevant section) and its surroundings (color, appearance, etc.). In addition, as a general guide, a wood lattice (as long as it matches the deck or the house exterior) is an acceptable material for screening the space under a deck.

Garbage Can Area Screens may be no taller than 54", no wider than three feet, and no longer than eight feet, and must be fully enclosed at least on three sides (two sides of screen plus the original garage wall). Gate(s) no wider than three feet may be installed on either the side or rear of the enclosure; if installed, the gate(s) must be kept closed at all times. Garbage Can Area Screens may be constructed with the same materials as stated above. Wooden containment fences must be either treated with a natural stain or painted to blend with the house exterior. **See figure below for an example design.**

Requirements:

All screening and enclosures must be maintained in an aesthetic, safe and good condition.
Garbage can areas must be kept neat; no loose debris shall be allowed in the Garbage Can Areas.

A survey map of the property, a drawing of the proposed screen or other enclosure (dimensions, placement, materials, etc.) and neighbors' signatures (adjacent to or in view of the proposed enclosure) are a requirement with the architectural request.



Architectural Control Section 3.10

Landscaping

Definitions:

Natural Area/ Landscaping Bed	Any area with ground cover other than grass.
Bushes and Shrubs	Any bush or shrub that will exceed 3'-0" in height or width at maturity.
Flower Bed	Any grouping of flowers not contained in a natural area or landscape bed.
Vegetable Garden	Any area used to grow vegetables or herbs.
Water Garden	Natural or prefabricated body of water for decorative purposes.
Trees/Tree Removal	Any tree added to or removed from the property.

Appearance:

Natural areas and landscaping beds shall be planted in proportion to the home and property. All landscaped areas shall be maintained to prevent overgrowth of individual plants or weeds. Landscaped areas shall be mulched to improve appearance and aid in maintenance. Edging around the bed or natural area may be used but is not a requirement, and if used, should be consistent with the existing style and aesthetics of the community.

Vegetable, herb and water gardens shall be maintained regularly to prevent excessive weed growth. All plants located in a garden shall not exceed 4'-6" in height. Screening of these areas should be considered through the use of fencing or shrubs to eliminate views from the street or common areas. These areas should not be visually offensive to neighbors.

Trees shall be maintained and pruned to remove debris and damaged limbs due to wind, decay, disease, or ice damage.

Location:

Natural areas and landscaping beds may be utilized in the front, rear and side yards. Landscaping beds and natural areas located in the front yards shall not encompass more than 50% of the total area available for the front yard. (Areas are measured from the curb to the nearest point of the house, and from one side yard property line to the other side yard property line. Corner lots will be measured from the curb to far side yard property line. Areas will **exclude** the existing walkway and driveway.) The remaining 50% of the front yard area shall be grass.

Mature plant size shall be considered in determining locations of bushes and shrubs near property lines and the plantings set back sufficiently to account for mature growth. When bushes and shrubs are located immediately adjacent to property lines, mulch is required at the property line to provide easy maintenance for adjacent property owners.

Vegetable, herb and water gardens shall normally be confined to the rear yard out of view from public streets and common areas. The maximum height for plants in these gardens shall not exceed 4'-6". Water gardens shall be planned and located to limit potentials for accidents (i.e., electrocution, drowning). **Water gardens in front yards are not allowed.**

New trees shall be located away from foundations, drives or walks to limit potential damage caused by root growth.

Landscaping and plantings in utility easements are normally permissible, but with the full understanding that any plantings may have to be removed for utility work in that easement without any liability on the part of the Association or the utility company.

Replacement of grass around existing driveways with rocks, gravel, etc (e.g. in order to accommodate additional parking) is not allowed.

Bird baths or fountains are **not** allowed in front yards (see Section 3.01).

Materials:

In the application, provide "common" variety names of plants that are to be used.

Approval is not required for mulching with pine straw, hardwood, or bark mulch. Decorative gravel mulch or other types of mulching require approval.

Edging normally does not require an architectural request and may consist of unstained pressure treated yellow pine timbers, brick, stone, pre-cast concrete edging, black plastic edging or other commonly used materials. Railroad ties are prohibited. Selections should consider scale, color and proportion to harmonize with the existing structures and surrounding site. Normally, edgings are only one level high and multiple levels of landscape timbers or other materials (such as retaining wall blocks or bricks) would normally be considered as a retaining wall under Section 3.20 and an application is required.

Bermuda is the recommended grass planting.

Requirements:

All front yards shall have a minimum of 50% grassed area (see appearance above).

All landscaping will maintain proper drainage on the site. If landscaping is planned, homeowners are required to provide a plan that details drainage patterns and runoff. Plans, which cause excessive runoff to neighboring properties or common areas, will not be approved without Architectural that solve the drainage situation **(see section 3.04)**

Irrigation systems do not require approval, as long as all removed grass is replaced, landscaping is returned to its original state, and proper drainage is achieved after installation of the underground watering system. If there is any change in the drainage pattern, water flow, and/or cause neighboring properties to receive water run-off as a result of the irrigation system, the homeowner's association reserves the right to request removal of the system or grading of the property to correct the problem. If grading is necessary, an architectural request must be previously submitted to the AC for approval.

All tree removal, except emergency removal where the tree(s) present a clear and present danger as a result of wind or ice damage or disease or decay (trees posing a danger to life, person, or property), must be approved by the AC in advance. Photos of the trees to be removed and the reasons for removal must accompany the application prior to tree removal. All trees are expected to be replaced with a similar variety and size, in the same location and no application is required in that case. Tree stumps, dead trees, and limbs are expected to be removed from the property!

AC approval is NOT required for the following items:

-Flowers planted in existing beds.
-Shrubs located within an existing bed.
-Shrubs used as a cover for the foundation, fence, deck, play sets, HVAC equipment, etc.
-Ground cover in existing natural areas.
-Ground cover in existing landscaping beds.
-Mulching with pine straw, hardwood or bark mulch.
-Replacement of existing shrubs, plants, or trees that die or are diseased with a similar variety and size shrub, plants or tree in the same location.
-One level of edging consisting of unstained pressure treated yellow pine timbers, brick, stone, pre-cast concrete edging, black plastic edging, retaining wall blocks (single layer) or other commonly used material as long as the edging is leveled, properly installed, natural in color or the commercially available white stone or cast concrete edging material, but painted stones or other materials painted or stained will require prior approval and normally will not be approved.
-Flower/plant containers provided they are standard size as can be purchased from any nursery/garden center, with the following conditions:

- Flower boxes may not be longer than the widest window on the side of the house the flower box is installed.
- Flower or plant pots must be consistent with size of the property.

Finish must be consistent with the exterior house colors or neutral earth tone colors. Custom, oversized or colored containers must have prior approval; each application will be reviewed on an individual basis.
-Security signs, as provided by security service companies, less than 12x12 inches, which are located behind the sidewalk/walkway in the existing flower bed/natural area. All other sized signs or locations must have prior approval, and each application will be reviewed on an individual basis.

I. Compost

One compost pile measuring not more than three feet in diameter and three feet in height may be permitted on the rear yard if such is adequately screened by planting and/or fencing so as to conceal them from view of neighboring residents and the street. Owners shall be responsible for ensuring that

compost piles are maintained in a manner which does not emit odors or attract rodents or insects; if such compost pile does emit odors or attracts rodents or insects, the Association may levy appropriate sanctions.

Homeowners are expected to keep their landscaping in good harmony with our community. The Homeowners' Association reserves the right to request submission of an architectural request or even removal of an installation that does not meet the above listed criteria. A survey map, detailed plans outlining the landscaping changes and neighbor's signatures (in view of the changes) are required with all applications.

Notes:

Any furniture featured in the front yard should be for outdoor use, in acceptable condition for their intended function and with an acceptable color approved by the AC. Size and frequency of lawn furniture should be limited and approved by the AC. Furniture in the front yard should not maintain a gathering spot, which could generate excessive and regular noise but should be free of debris from trees, and clutter.

Lighting (Exterior)

Appearance:

Exterior lighting must be compatible with the architectural character of the neighborhood. Generally, low voltage accent lighting confined to planting beds or along walkways and on decks is acceptable. Other lighting devices, i.e., floodlights, high voltage spotlights, lampposts will be reviewed on an individual basis.

"Temporary" holiday lighting generally does not require approval from the AC; however, such "temporary" lighting and any associated wiring must be removed within a reasonable period after such holiday. As a general rule, holiday lights should not be displayed earlier than Thanksgiving and must be removed no later than January 15.

Location:

Generally, low voltage accent lighting confined to planting beds or along walkways is acceptable. Floodlights and spotlights will generally be limited to rear and side yards. Specific approval shall be required for spotlights, floodlights or any other type of accent lighting on driveways and some additional landscaping may be required. All exterior high voltage lighting must have locations approved prior to installation. This guideline is not meant to be construed as discouraging security lighting systems, but only to control the source and spread of the light beam that may be intrusive to adjacent property owners. The application should include a diagram showing the proposed location of new lights and the lighted area.

No more than one light lamppost will be allowed in front yards. More lights may be considered in the back yards.

Materials:

Include a materials list and if possible, a picture or drawing of the proposed fixtures (including its exact location with the application). A survey map and neighbors' signatures in view of the light(s) are also required.

Requirements:

Beam spread from all light sources should be confined to the homeowner's lot. On corner lots and locations where the lighting may affect drivers, care must be taken to insure that spotlights and floodlights do not cause dangerous safety hazards by blinding oncoming traffic.

Any lamppost in the front yard must not exceed 8 feet with one lamp light (max. 60W) with the approval of the Board. If the lamppost is installed in the rear of the property, the total for all lights

must not exceed 100W. (For example, for a 4-light post, the maximum would be 4x25W.) The maximum height is defined as the top of the post or the light(s) (whichever may be greater).

All electrical installations must be in accordance with all applicable electrical codes and regulations.

Approval is not necessary for the following:

- Approval is not necessary for replacement of current light fixtures of a similar type and style.

- Approval is also not necessary for properly installed low voltage accent lighting along walkways and on the inside of decks, if the lights are at least five feet apart. If closer placement is desired, then an application must be submitted. Any low voltage spotlights or lights on the outside of decks require an application, if the light may shine onto adjacent property.

Architectural Control Section 3.12

Mailboxes

Appearance:

All mailboxes located on lots shall be of a similar style and approved by the AC. Replacement mailboxes may be installed after the type has been approved in writing by the AC.

Note: No vinyl mailboxes/posts are allowed.

Requirements:

All mailboxes (including posts) must be repainted or replaced if approximately 20% or more of the surface shows signs of paint peeling. All mailboxes must be uniform within the entire Inside Wade community.

Mailboxes should be **black** without gold bands.

Note: All replacement mailboxes must be of similar style (design, dimensions, etc.) as the already existing ones. No other writing (names, etc.) is allowed on the mailboxes besides the house number (either or both sides).

Architectural Control Section 3.13

Maintenance

Appearance:

It is the responsibility of each homeowner to maintain his/her property in such a way that it adds to the overall beauty and harmony of the subdivision. Each homeowner should take this responsibility seriously, as failure to do so can negatively impact the value of your own property, surrounding properties, and the subdivision as a whole.

There are many areas in and around the home, which should be inspected, regularly to insure the property is in good repair. These include, but are not limited to:

- Lawn care
- Trimming of trees and shrubbery
- Landscaping
- Decks
- Fences
- Driveways and sidewalks
- Playground equipment
- Paint
- Roofing
- Debris and trash removal

Deterioration:

If at any time the Board of Directors is made aware of a property that has deteriorated to the point that it is affecting the aesthetics of the community, the AC, a representative of the Management Company, or a combination of the two will be requested to make a site inspection. The committee will then make a recommendation for action to the Board of Directors. Appropriate action will be taken in accordance with the enforcement policies of the Inside Wade Homeowners Association.

Based on the severity of the deterioration, the homeowner will be given a specified period of time in which to make the necessary repairs. If, after that time, the repairs have not been corrected to the satisfaction of the Board, the Board has the obligation of enforcement as described in the Declaration of Master Covenants, Conditions and Restrictions for Inside Wade Homeowner's Association, the Enforcement Procedures policy of the Association, and other applicable regulations and policies. No architectural requests will be processed by the AC for that homeowner, unless the violation items have been corrected.

Painting (Exterior)

Appearance:

All exterior paint colors, including mailboxes, shall be consistent with the initial paint application to maintain a variety as well as continuity with the surrounding homes. Siding paint shall be only a flat latex type of paint (no semi-gloss or gloss type paints are permitted). Trim paint may be semi-gloss.

Paint colors on additions and exterior detached structures shall be consistent with the dwelling and surrounding area.

Materials:

Siding paint shall be Duron Deluxe Exterior Flat House Paint or equivalent. Trim and shutter paint shall be Duron Weather Shield Exterior Acrylic or equivalent.

Requirements:

Any changes to the original exterior paint colors (home exterior, trim, shutters, garage doors, etc.) must submit an Architectural Request.

Extremely bright colors (e.g. pumpkin orange, red, fluorescent colors, etc.) will not be approved. Color coordination is also important, not only on the same house (exterior-trim-doors and shutters) but also for the entire neighborhood.

Although a survey map is not required for painting applications, it is imperative that neighbors' signatures are obtained from all neighboring homes before an application is submitted for approval.

Approval is not required if **ALL** exterior paint colors remain the same as the original ones.

Parking

1. There shall be no parking upon any Lot or within the Common Area, or within the right of way of any street or adjacent to the Property as written in the Declaration of Covenants. Any inoperable automobile, commercial vehicle, truck, tractor, mobile home or trailer (with or without wheels), camper, camper trailer, boat or other water craft, boat trailer, or any transportation device of any kind, such vehicles may only be stored and parked only within a garage, the door to which is generally kept closed. No owner or tenant shall repair or restore any vehicle of any kind upon any Lot or Common area, except for emergent repairs, and then only to the extent necessary to enable movement thereof to a proper repair facility. No garage may be altered in such a manner that the number of automobiles that could have been reasonably parked in the garage as originally constructed.

2. On street parking is limited to guest(s) of residents in designated areas. Personal vehicles should be parked in the garage and driveway.

3. Current registration and tags must be visible. Automobiles may be towed at the owner's expense.

Architectural Control Section 3.16

Parking Pads & Driveways

Appearance:

The layout or design should preserve and compliment the original driveway and walkway. The surface shall be at the same level, same color and finish as the existing concrete drive and of a minimum thickness of 4 inches. Depending upon property configuration, screening with landscaping may be required to visually block the area from adjoining property owners.

NOTE: ***Not all properties can accommodate a parking pad.***

Location:

Parking pads (driveway extensions) may be constructed adjacent to and contiguous with the original concrete driveway.. The parking pad shall terminate in line with the existing parking pad and must not require removal of the existing mailbox.

Dimensional limitations: Maximum width of 9'-0" . Each property will be reviewed individually.

Set Back Requirements: Minimum set back from side property line is 18" except that the set back may be less with specific approval of the AC on cul-de-sac lots because of lot configuration and size.

Drainage/Slope: Slope of the parking pad and that of the adjacent yard shall preserve the original run-off flow pattern and shall not cause excessive water to be directed to a neighboring property or to the house foundation.

Materials:

Concrete shall be the only allowable material. The preparation of the soil base shall be consistent with sound construction practices to minimize the risks of settling, excessive cracking and improper drainage. Concrete paint is not allowed!

A survey map and a drawing of the proposed parking pad (including dimensions, placement, etc.) must be submitted with all applications.

Pets

No animals, livestock, or poultry of any kind shall be raised, bred or kept on the Property. No more than two (2) dogs, three (3) cats, and a reasonable number of other normal household pets may be kept in residences subject to rules and regulations adopted by the Association through its Board of Directors. Provided that such pets are not kept, bred or maintained for any commercial purpose, puppies and kittens in excess of the numbers set forth above may be kept only until old enough to be safely separated from their mother. The Board of Directors shall have the absolute power to prohibit any particular pet from being kept on the property, including inside a residence, if the Board of Directors in its sole and absolute discretion determines that the pet is dangerous, a nuisance, or otherwise has a negative impact on the Community

Playground and Recreational Equipment

Definitions:

Playground or Play Equipment: Swing sets, sliding boards, sandboxes, and similar items are classified as playground or play equipment for the purposes of this guideline. This guideline does not cover moveable and temporary items such as bikes, wagons and similar items.

Recreational Equipment: Basketball goals, trampolines, horseshoe pits, permanent volleyball courts and similar items are classified as recreational equipment for the purposes of this guideline. This guideline does not cover a temporary volleyball net, badminton net or similar item.

Appearance:

Playground and recreational equipment should blend with the natural surroundings to the extent possible and shall be an appropriate size for the backyard.

Landscaping or fencing should be planned to screen playground and recreational equipment from being visually offensive and to maintain a safe environment for the children. "Visually offensive" shall be judged by the AC applying a standard of reasonably objective rather than just the subjective views of neighbors.

Location:

Dependent on the configuration of each lot, playground equipment should be placed in the rear yard. The location of play areas and of recreational equipment must take into account the impact on adjacent properties, noise concerns, safety concerns, and the minimization of any offensive visual impact on neighbors or public areas.

Recreational equipment should also be placed in the rear yard area where applicable (i.e., trampolines). Potentially dangerous items such as trampolines should be located within fenced areas to prevent access by unsupervised and unattended child users and be adequately landscaped to screen from view. Otherwise, they must be properly shielded from view by landscaping surrounding areas with mature evergreen shrubs, trees, etc. Portable basketball goals, must be placed in the rear yard if a hard surface (driveway) is desired for the playing surface. **Portable basketball goals *must be in standing form when placed outside (e.g. driveway) and not placed on the side or* near the street,** where the street is intended as the playing surface. Portable basketball goals located by driveways must be placed to avoid balls striking vehicles, landscaping or other items on the adjacent property. **No permanent goals are allowed.**

Materials:

Playground equipment constructed of treated natural wood is required. Playground equipment should be constructed of proper materials to ensure safe usage, be properly anchored and be aesthetically pleasing. It is recommended that recreational equipment be "portable"; however, fixed in place equipment will be considered on an individual basis. Recreational equipment should be constructed of proper materials to ensure safe usage, be properly anchored and be aesthetically pleasing.

Metal Swing sets are prohibited!

Requirements:

Detailed drawings shall be presented to the AC for approval ***prior*** to the installation of any equipment.

All equipment in a fixed location for an extended period of time must be submitted. All playground and recreational equipment must be maintained in a safe condition and kept visually pleasing to the community and surrounding environment.

The Homeowners' Association reserves the right to request removal of an installation that does not meet the above listed criteria. A survey map, drawing of the recreational equipment (placement, dimensions, specifications, colors, materials, etc.) and neighbors' signatures (in view of equipment and/or affected by possible noise) are a requirement with all architectural requests.

Playhouses

Appearance:

Playhouses must match the color of main residential dwelling.

Location:

Playhouses shall be in the rear of the main dwelling.

Materials:

Playhouses must be constructed of wood.

Requirements:

A playhouse shall be considered an accessory building if it measures more than 24 square feet, is more than 4 feet in height from peak to ground, or is constructed on a concrete slab or footing.

The Homeowners' Association reserves the right to request removal of an installation that does not meet the above listed criteria. A survey map, detailed plans for the construction and/or installation of the playhouse (placement, dimensions, materials, colors, etc.) and neighbors' signatures (in view of the house and/or affected by possible noise) are a requirement with all architectural requests.

Rain Barrels

General:

Rain barrels can be used by single family and town homes to collect rain water for later use in landscaping and gardens. Homeowners can help The City of Raleigh save water and reduce run-off by using a correction device.

Colors:

Suggested colors are black, dark green, and brown. Dark colors prevent sunlight from entering the barrel. Without sunlight, algae and other organisms cannot flourish in the barrel.

Number of Barrels:

Only 2 rain barrels allowed per single family home and 1 barrel per town home.

Size of Barrels:

A maximum size of eighty (80) gallons per barrel is permitted.

Materials:

Barrels must be made of either plastic or wood (metal containers are not allowed).

Location:

Barrels must be placed or installed at the rear of the dwelling, at the rear corners of the dwelling, or on the side of the dwelling as long as the barrels are not easily visible from the street in front of the house.

Pest Control:

Mosquito control needs to be exercised by design or by screening to eliminate any mosquito breeding.

Submittal:

If these guidelines are followed, then approval is not required. However, barrels are permitted in front of the dwelling ONLY if an AC Request is submitted and approved with pictures, description and landscaping/screening plan.

Retaining Walls

Appearance:

Generally, the AC will consider for approval "natural" materials for use in the construction of retaining walls. All retaining walls will be considered on an individual basis. The AC will review materials, colors, location, scale and massing of the proposed wall to determine compatibility with the architectural intent of the existing structure and relationship to the surrounding site.

Location:

Locations for retaining walls must be clearly specified on the plot plan (official survey map) submitted with the application. Applications for retaining walls will be reviewed on an individual, case-by-case basis. Consideration will be given to changes in the natural topography and existing drainage patterns.

Materials:

"Natural" building materials such as stone, slate, brick and pressure treated timbers will be considered as acceptable materials. Railroad ties are prohibited. Materials and colors chosen should complement the existing structure on the site.

Requirements:

All retaining walls will maintain a proper drainage on the site. If a wall is planned, homeowners are required to provide a plan that details drainage patterns and runoff as a result of the new structure. Retaining walls that redirect water towards or prevent water drainage from neighboring properties will not be allowed. Neighbors' signatures are required with all applications.

All retaining walls will be leveled and properly secured to prevent collapse and must meet all applicable City of Raleigh requirements. Landscape fabric, backfilling with sand and/or a drainage pipe to facilitate the flow of water should also be included, as necessary. There is no height limit, but the compatibility with the surrounding area and the dwelling will be considered. Any request for a retaining wall over three feet in height shall include in the application detailed specifications on anchoring the wall.

Proper landscaping is also a requirement in order to soften the retaining wall. Detailed plans for construction of the retaining wall and landscaping should also be submitted with all applications.

Roofing/Roof Accessories & Equipment

Requirements:

Roof pitches and overhangs may vary as dictated by architectural design. The approval of the AC is required for a roof-material color change.

Replacement of roofing materials with the same type as previous does not need approval.

Satellite Dishes and Antennas

I. Preamble

WHEREAS, the *Inside Wade Homeowner's Association* ("the Association") is responsible for governance and maintenance of the *Inside Wade Subdivision* ("the Community"); and

WHEREAS, the Association exists pursuant to *applicable state law and governing documents;* and

WHEREAS, the Association is authorized to adopt and enforce reasonable rules and regulations in the best interests of the Community, pursuant to *sections of state law and the governing documents permitting the Association to adopt and enforce rules;* and

WHEREAS, the Federal Communications Commission ("the FCC") adopted a rule effective October 14, 1996, preempting certain restrictions in the governing documents concerning the installation, maintenance and the use of direct broadcast satellite, television broadcast, and multipoint distribution service antennas ("antennas"); and

WHEREAS, the Association desires and intends to adopt reasonable restrictions governing installation, maintenance and the use of antennas in the best interests of the Community and consistent with the FCC rule.

NOW THEREFORE, the Association adopts the following restrictions and regulations for the Community, hereinafter referred to as the "Rules," which shall be binding upon all owners and their grantees, lessees, tenants, occupants, successors, heirs, and assigns who currently or in the future may possess an interest in the Community, and which shall supersede any previously adopted rules on the same subject matter.

II. Definitions

A. Antenna: Any device used for the receipt of video programming services, including direct broadcast satellite (DBS), television broadcast, and multipoint distribution service (MDS). A reception antenna that has limited transmission capability designed for the viewer to select or use video programming is a reception antenna provided that it meets FCC standards for radio frequency emission. A mast, cabling, supports, guy wires, conduits, wiring, fasteners, or other accessories necessary for the proper installation, maintenance, and use of a reception antenna shall be considered part of the antenna.

B. Mast: Structure to which an antenna is attached that raises the antenna height.

C. Transmission-only antenna: Any antenna used solely to transmit radio, television, cellular, or other signals.

D. Owner: Any homeowner in the Association. For the purpose of this rule only, "owner" includes a tenant who has the written permission of the homeowner/landlord to install antennas.

E. Telecommunications signal: Signals received by DBS, television broadcast, and MDS antennas.

III. Installation Rules

A. Antenna Size and Type

1. DBS antennas that are one meter (39.37") or less in diameter may be installed. Antennas larger than one meter are prohibited.
2. MDS antennas one meter (39.37") or less in diameter may be installed. MDS antennas larger than one meter are prohibited.
3. Antennas designed to receive television broadcast signals, regardless of size, may be installed, but only after written authorization is obtained from the AC, and only if installing in the attic is unfeasible. (Refer to Section IIIB below.)
4. Installation of transmission-only antennas is prohibited in the Community.
5. **All antennas not covered by the FCC rule are prohibited.**

B Location

1. Antennas shall be installed solely on individually owned property as designated on the *recorded deed or other document defining the portions of common or individually owned property.*
2. **If acceptable quality signals may be received by placing antennas inside a dwelling, without unreasonable delay or unreasonable cost increase, then outdoor installation may be prohibited.**
3. Antennas shall not encroach upon common areas or any other owner's property.
4. **Antennas shall be located in a place shielded from view from the street or from other lots to the maximum extent possible**; provided, however, that nothing in this rule would require installation in a location from which an acceptable quality signal may not be received. This section does not permit installation on common property, even if an acceptable quality signal may not be received from an individually owned lot.

C. Installation

1. Antennas (or satellite dishes) shall be no larger nor installed higher than is absolutely necessary for reception of an acceptable-quality signal.
2. All installations shall be completed so that they do not damage the common areas of the Association or the lot of any other resident, or void any warranties of the Association or other owners, or in any way impair the integrity of the buildings on common areas or lots.
3. Owners are responsible for all costs associated with the antenna, including but not limited to costs to:
   a. Place (or replace), repair, maintain, and move or remove antennas;
   b. Repair damages to the common property, other lots, and any other property damaged by antenna installation, maintenance, or use;
   c. Pay medical expenses incurred by persons injured by antenna maintenance or use;
4. Reimburse residents or the Association for damages caused by antenna installation, maintenance or use.
5. Antennas must be secured so that they do not jeopardize the soundness or safety of any other owner's structure or the safeties of any person at or near antennas,

including damage from wind velocity based upon a unique location. Antennas (or satellite dishes) mounted on fences are not allowed.

D. Maintenance

1. Owners shall not permit their antennas to fall into disrepair or to become safety hazards.
2. Owners shall be responsible for antenna maintenance and repair.
3. Owners shall be responsible for repainting or replacement in the exterior surface of antenna deteriorates.

E. Safety

1. Antennas shall be installed and secured in a manner that complies with all applicable city and state laws and regulations, and manufacturer's instructions. The owner, prior to installation, shall provide the Association with a copy of any applicable governmental permit.
2. Unless the above-cited laws and regulations require a greater separation, antennas shall not be placed within five (5) feet of underground power lines (as indicated by No-Cuts) and in no event shall antennas be placed where they may come into contact with electrical power lines. The purpose of this requirement is to prevent injury or damage resulting from contact with power lines.
3. All installation must comply with all applicable codes.
4. In order to prevent electrical and fire damage, antennas shall be permanently and effectively grounded.
5. Antennas are required to withstand the pressure of snow and ice.

IV. Antenna/Satellite Dish Camouflaging

A. Antennas or masts may not extend beyond a railing or fence unless no acceptable quality signal may be received from this location.

B. Antennas situated on the ground and visible from the street or from other lots must be camouflaged by existing landscaping or fencing, if an acceptable quality signal may be received from such placement. If no such existing landscaping or screening exists, the Association may require antennas to be screened by new landscaping or screening of reasonable cost.

C. Antennas, masts, and any visible wiring must be painted to match the color of the structure to which it is installed. *(Some manufacturers assert that painting may prevent the receipt of an acceptable quality signal. Association residents are advised to make sure that paint will not degrade the signal.)*

D. Antennas may not obstruct a driver's view of an intersection or street.

E. *Camouflaging antennas may not be unreasonably expensive. For example, it would not be unreasonable to require a $40 hedge. A $150 fence, on the other hand, would most likely be found to be unreasonable. The Association may require more expensive screening, if the Association chooses to fund part of the cost.*

V. Number of Antennas

An owner may install no more than one antenna of each provider.

VI. Mast Installation

A. Mast height may be no higher than absolutely necessary to receive acceptable quality signals.

B. Masts that extend 12 feet or less beyond the roofline may be installed subject to the regular notification process. Masts that extend more than 12 feet above the roofline must be approved before installation due to safety concerns posed by wind loads and the risk of falling antennas and masts. Any application for a mast longer than 12 feet must include a detailed description of the structure and anchorage of the antenna and the mast, as well as an explanation of the necessity for a mast higher than 12 feet. If this installation will pose a safety hazard to association residents and personnel, then the association may prohibit such installation. The notice of rejection shall specify these safety risks. *(This 12-foot baseline may change, if the BOCA Code is amended.)*

C. A licensed and insured contractor must install masts.

D. Masts must be painted the appropriate color to match their surroundings.

E. Masts installed on a roof shall not be installed nearer to the lot line than the total height of the mast and antenna structure above the roof. The purpose of this regulation is to protect persons and property that would be damaged if the mast were to fall during a storm or from other causes.

F. Masts shall not be installed nearer to electric power lines than the total height of the mast and antenna structure above the roof. The purpose of this regulation is to avoid damage to electric power lines if the mast should fall in a storm.

G. Masts shall not encroach upon another owner's lot or common property.

H. Masts must be designated to withstand the weight of ice and snow.

VII. Notification Process

1. Any owner desiring to install an antenna must complete an Architectural Request Form (Section 2.02) and submit it to the AC via the Management Company. If the installation is routine (conforms to all of the above rules and restrictions), the installation may begin immediately.

B. If the installation is other than routine for any reason, and after an Application Request Form has been submitted, owners and the AC must establish a mutually convenient time to meet to discuss installation methods. The Management Company must be contacted to schedule this meeting.

VIII. Installation by Tenants

Tenants may install antennas in accordance with these rules with written permission of the homeowner/landlord. A copy of this permission must be furnished with the Application Request Form.

IX. Enforcement

A. If these rules are violated, the Association may bring action for declamatory relief with the FCC or any court of competent jurisdiction after notice and an opportunity to be heard. If the court or FCC determines that the Association rule is enforceable the Association for each violation shall impose a fine of $50. If the violation is not corrected within a reasonable amount of time, additional fines of $10 per day will be imposed for each day that the violation continues. To the extent permitted by law, the Association shall be entitled to reasonable attorney fees, costs, and expenses incurred in the enforcement of this policy.

B. If antenna installation poses a serious, immediate safety hazard, the Association may seek injunctive relief to prohibit or seek removal of the installation.

X. Severability

If any provision is ruled invalid, the remainder of these rules shall remain in full force and effect.

A survey map with exact location/placement of satellite dish/antenna, specifications, mounting plans and neighbors' signatures, if the proposed antenna or satellite dish is visible from their property, should be submitted to the AC for approval.

Setbacks & Yards

Set back requirements from property lines are established by the Declarant and ordinance and are subject to public utility easements, drainage easements, right-of-way, and landscape easements depicted on the recorded plats.

Siding

Owners shall seek the approval of the AC before installing or replacing siding which differs from original material. For material that is the same as original, no approval is required.

Signs

No sign whatsoever shall, without the AC's prior written approval of plans and specifications therefore, be installed, altered, or maintained on any Unit or on any portion of a structure visible from the exterior thereof, except: one temporary sign per Unit that advertises property For Sale or For Rent, which has a maximum face area of four square feet, and which is conservative in color and style; such permits as may be required by legal proceedings; such permits as may be required by governmental entity.

Signs must comply with the City of Raleigh Sign Ordinance.

One security company sign may be placed near the front door of the property without approval.

Under no circumstances shall more than one job identification sign be approved by the AC during approved Architectural of any structure. No vendor or subcontractor sign will be posted at any time before, during, or after construction. However, in order to promote local businesses, vendors or subcontractors that are **Inside Wade residents**, are allowed to display not more than one sign (maximum dimensions of 4'x4') only during construction/services without approval. In order for this rule to be reinforced, their home address must also be displayed on the sign. After project completion, signs must be removed from the property.

A survey map with exact placement of the sign, dimensions, and sign content should be submitted to the AC for approval.

Solar Panels

Solar panels / equipment shall not be installed without the prior written approval of the AC. Any solar panels and related appurtenances and equipment shall be designed and constructed to appear as an integrated part of the building architecture as possible. This shall generally mean that the panels shall be roof mounted so that the top surface is as flush with the roof surface whenever possible, with all appurtenances recessed into the structure's attic. Solar panels should be located on the rear or side roof of a home whenever possible. The AC will review in advance and approve in writing all equipment placement.

Statues

The approval of the AC is not required for the rear-yard installation of any statue, which, including any pedestal, stands no more than four feet tall. However, not more than six statues are allowed.

When placed in the front yard, no unsightly objects or nuisances shall be erected, placed or permitted to remain on the property, and in no event in the Common Area. Statues must be placed in a reasonable location where they blend in with their surroundings, such as the front porch or flower beds (no pink flamingos, windmills, or any statues without color coordination). If the above requirements are met, AC approval for front yard statues is not required.

Homeowners are expected to display statues in good harmony with our community. The Homeowners' Association reserves the right to request removal and/or submission of an application for a number of statues in the front/back yard that exceed or do not meet the above listed criteria.

All other statues or yard ornamentation (excluding holiday decorations) are subject to approval by the AC and an architectural request must be submitted prior to their installation.

Architectural Control Section 3.29

Walkways and Patios

Appearance:

Patios and walkways shall be created in scale with the site and existing structures. Slope of the patios and walkways and that of the adjacent yard shall preserve the original run-off flow pattern and shall not cause excessive water to be directed to a neighboring property or to the house foundation.

Location:

Patios shall be confined to the rear yard while walkways will be confined to the side and rear yards. The patio and walkway size, design and setbacks to adjacent property lines shall be kept in proportion to the existing structures and site. All walkways and patios shall be a minimum of 18" from property lines. Lot size and configuration may permit reduction of the 18" setback in particular instances, but specific approval of the AC is required for a setback less than 18".

Materials:

Generally, brick, concrete, concrete pavers, flagstone and slate will be considered as acceptable materials. Materials and color chosen shall complement the existing structures. All patios and walkways shall be reviewed on an individual basis for material, installation method, color and location.

Requirements:

All patios and walkways must maintain proper drainage on the site. If a walkway or patio is planned, homeowners are required to provide a plan that details drainage patterns and runoff.

A survey map of the property, a drawing of the exact placement and dimensions of the patio or walkway, materials, color, and installation method are required with all architectural requests.

Architectural Control Section 3.30

Woodpiles, Tanks, Etc.

Requirements:

No exposed, above ground tanks will be allowed. Woodpiles shall be kept screened by adequate planting or fencing so as to conceal them from view of neighboring lots, streets or detached single family dwelling.

Architectural Control Section 3.31

Yard Sales

Instructions:

Homeowners wishing to host a garage/yard sale must adhere to the following guidelines:

- RealManage must be notified at least two weeks in advance of the intended date.
- Sales may not last longer than one weekend, for example, Friday-Sunday. At the end of each sale day, all items relating to the sale must be removed from public view (i.e. stored in the garage or the house). The items may be replaced in the yard or driveway the following morning.
- The number of garage/yard sales per property is limited to two per calendar year.
- Sales may only be held between the hours of 6:00AM and 3:00PM. City of Raleigh quiet hours must be observed while setting up/taking down the sale items.
- A maximum of two signs advertising the sale may be used in the community. Signs may not have a face area exceeding four square feet. Signs may be placed in common areas two days prior to the sale and must be removed immediately after the completion of the sale. Signs may be placed on another homeowner's property with their permission.
- Noise relating to the sale should be kept to a minimum (i.e. no loud music).

Architectural Control Section 4.00

Construction Guidelines

Requirements:

Inspections: The Applicant shall schedule and coordinate a review of all construction activities with **the AC** to verify compliance with the approved plans and specifications. The AC may also perform additional periodic informal inspections to ensure that work is being performed in conformance with approved plans, these Design Guidelines and the Community-Wide Standard. All inspections are observations only and will not relieve the obligation to obtain inspection approvals from Wake County and other organizations having jurisdiction.

Job sites not in compliance with the Declaration, these Design Guidelines or approved plans will be issued a Notice of Violation and a punchlist of items needed to bring the construction and/or job site into compliance. Further construction is prohibited until such punchlist items have been corrected.

Each homeowner and resident shall comply with the Covenants and the Rules voted on by the Board.

If you disagree with any ruling, you may appeal it to the Management Company. However, until the situation is resolved all fines will remain in place and the decision will be considered final.

Construction Damages: Any damage to vegetation or common area facilities caused by the Applicant, its contractors, sub-contractors, agents or employees must be corrected immediately to the satisfaction of the AC, the Declarant, and the Owner of the damaged property. If the damage is not corrected, the Declarant or the Association may repair such damage and assess the costs of repair to the Applicant.

Conduct: The Applicant must ensure that all contractors and subcontractors control the conduct of their employees while working in Inside Wade. Loud music, profanity and other behavior which is unbecoming of a quality operation will not be tolerated. The time of work must comply with the City of Raleigh Noise Ordinance for which no work can begin before _7__a.m and must stop by _8_ p.m. Mon. - Friday and __8__a.m to __6__p.m Sat. – Sunday. Employees violating this policy may be asked to leave the premises and may be denied future access to Inside Wade.

Site Cleanliness: All sites must be maintained in a clean and orderly manner at all times. The storage of materials should be in an inconspicuous location within the site and stored neatly and orderly. All construction debris shall be cleared at the end of each working day.

Limitation of Liability

Plans and specifications are not approved for engineering or structural design or quality of materials and by approving such plans and specifications neither the AC, the members thereof, nor the Association assumes liability or responsibility therefore, nor for any defect in any structure constructed from such plans and specifications. Neither the Declarant, the Association, **the AC**, nor the officers, directors, members, employees, and agents of any of them shall be liable in damages to anyone submitting plans and specifications to any of them for approval, or to any Owner affected by these restrictions by reason of mistake in judgment, negligence, or nonfeasance arising out of or in connection with the approval or disapproval or failure to approve or disapprove any such plans or specifications. Every person who submits plans or specifications and every Owner agrees that such person or Owner will not bring any action or suit against Declarant, the Association, the AC, or the officers, directors, members, employees, and agents of any of them to recover any damages and hereby releases, remises, quitclaims, and covenants not to sue for all claims, demands, and causes of action arising out of or in connection with any judgment, negligence, or nonfeasance and hereby waives the provisions of any law which provides that a general release does not extend to claims, demands, and causes of action not known at the time the release is given.

These Design Guidelines have been prepared by the Declarant for _____ and are hereby adopted on this _____ day of _____, 20___.

DECLARANT: Lennar Carolinas, Inc.

By: _____
Name: _____
Its: _____