WAKE COUNTY DEPARTMENT OF ENVIRONMENTAL SERVICES WASTEWATER PERMIT

NO PERMIT(S) FOR CONSTRUCTION, LOCATION OR RELOCATION ACTIVITY SHALL BE ISSUED UNTIL AN AUTHORIZATION FOR WASTEWATER SYSTEM CONSTRUCTION AUTHORIZATION HAS BEEN ISSUED

PERMIT VOID IF NOT IN COMPLIANCE WITH ZONING REGULATIONS AND/OR IF SITE IS ALTERED OR INTENDED USE CHANGED

OPERATIONS PERMIT

PERMIT # **WREP-180688-2026** **APPLICATION DATE:** 09/23/2026 **BLDG. PERMIT#:**

PIN: 2716468485 **RECORDED:** Yes

TOWNSHIP: 09 - Little River **JURISDICTION:** Wake County **ZONING:** R-30

APPLICANT: Ruby Helms
302 Pony Rd

BUSINESS PHONE: (919) 896-0819
HOME PHONE: (919) 896-0819
MOBILE PHONE: (919) 896-0819

HD USE: 0001 REPAIR/EXISTING SYSTEM **EXISTING USE:** 101A CONVENTIONAL ONE-FAMILY HOUSE

SITE ADDRESS: 2544 HOLIDAY AVE

SUBDIVISION: LNP INC RCMB **LOT:** **ACRES:** 0.92

DIRECTIONS: House on right on Holiday Ave Bunn Lake

Systems defined as either type III-b, III-g with a pump, IV, V or VI, in accordance with the North Carolina administrative code 15A NCAC 18a .1961, table V as adopted by reference in the "Regulations Governing Wastewater Treatment Dispersal Systems in Wake County", requires Wake County Environmental Services to conduct periodic inspections of the system type pursuant to 15A NCAC 18a. 1961 (j). Fees for these inspections will be charged as per the approved Fee Schedule. In addition, all systems are to be operated and maintained as specified in 15A NCAC 18A .1961. This permit is based in part on information provided by the homeowner and/or his/her representative in the application submitted for this permit. The Environmental Health Specialist is not responsible for false or misleading information contained in the application. The environmental health specialist is also not responsible for concealed conditions on the property or for statements in this report that may have resulted from false or misleading statements provided to him/her in the application. Neither Wake County nor the Environmental Health Specialist warrants that the septic tank system will continue to function satisfactorily in the future or that the water supply will remain potable.

OPERATION PERMIT VALID FOR: No Expiration
INSTALLED BY: OTHER
PROPRIETARY SYSTEM: TANK - Septic/Pump Tank Replacement **PRETREATMENT SYSTEM:**
SYSTEM TYPE INSTALLED: II A
OPERATION PERMIT: STATUS: Issued **ISSUED BY:** Adam Currin **ISSUED DATE:** 11/04/2026

SEPTIC TANK: Other **DATE OF MANUFACTURE:** **FILTER:** Polylok - PL-68
GREASE TRAP: **DATE OF MANUFACTURE:** **FILTER:**
DOSING PUMP TANK: **DATE OF MANUFACTURE:** **FILTER:**
CC1: **ETM1:** **CC2:** **ETM2:**
RECIRCULATION TANK: **DATE OF MANUFACTURE:**
CC1: **ETM1:** **CC2:** **ETM2:**

SEPTIC TANK ELEVATION: 3.20 **GREASE TRAP ELEVATION:** **DOSING PUMP TANK ELEVATION:**
RECIRCULATION TANK ELEVATION: **DISTRIBUTION DEVICE ELEVATION:** 4

INSTALLED TRENCH DEPTH	INSTALLED AGGREGATE DEPTH	INSTALLED TRENCH LENGTH	INSTALLED TRENCH BOTTOM ELEVATION

ACTUAL PRESSURE HEAD: **ACTUAL FLOW RATE:** **ACTUAL DOSE VOLUME:** 0

SPECIFIC OPERATION REQUIREMENTS:

- System designed for a 2 bedroom residence having 240 gallons per day with a maximum occupancy of 4 people.
- Site serviced by private well water
- System installed by Will Helms (Five County Construction) - 11020
- Septic tank is an Infiltrator CM-1060

ISSUED BY:  **DATE:** 11/04/2026